

Author Index

A

- Agarwal, R.; Roshan, H.Md.; Sastri, V.M.K.
Die Temperature Control in Pressure Diecasting493
- Alagarsamy, A.; Srinivasan, M.N.; Bray, D.E.; Junghans, P.
Critically Refracted Longitudinal (L_{CR}) Wave Technique:
A New Tool for Measurement of Residual Stresses in Castings ...265
- Alderink, D.; Hinkamp, D.; Novak, J.; Polakowski, S.G.
Life-Threatening Heat Hazards: A Case Study601
- Alhainen, J.; Louvo, A.; Pellikka, J.; Eklund, P.
Criterion Functions Based on Alloying and Cooling Rate for
Simulating the Microstructure and Mechanical Properties of
SG Iron Castings237
- Allen, G.R.; Archibald, J.J.; Keenan, T.
Hazardous Air Pollutants: A Challenge to the Metalcasting
Industry585
- Archibald, J.J.; Shriver, H.R.; Barnett, K.W.
Casting and Environmental Advances in the FRC Process215
- Archibald, J.J.; Allen, G.R.; Keenan, T.
Hazardous Air Pollutants: A Challenge to the Metalcasting
Industry585
- Archibald, J.J.; Hysell, G.R.; Elliott, W.O.
New Technology with Ester-Cured Coldbox Binders17
- Askeland, D.A.; Fu, J.; Tsai, H.L.
Effect of Vent-Holes in Patterns on Filling Process and
Casting Quality Using the Evaporative Pattern Process305
- Askeland, D.R.; Tseng, C.-H.
A Study of Selected Process Parameters for the Evaporative
Pattern Casting Process455
- ## B
- Baillo, C.R.; Coduti, L.; Murto, S.L.; Rundman, K.B.;
Talford, D.A.
Foundry Wastes in Michigan: Inventory and Minimization
Potential673
- Banerjee, D.K.; Stefanescu, D.M.
Structural Transitions and Solidification Kinetics of SG
Cast Iron During Directional Solidification Experiments747
- Bardes, B.P.; Flemings, M.C.; Kattamis, T.Z.
Dendrite Arm Spacing in Aluminum Alloys501
- Barnett, K.W.; Shriver, H.R.; Archibald, J.J.
Casting and Environmental Advances in the FRC Process215
- Basoms, J.; Rossbacher, W.
Low-Odor Shell Resin-Coated Sands451
- Bates, C.E.; Griffin, J.A.; Patton, K.D.
Dimensional Analysis of Expendable Pattern, Green Sand
and Nobake Castings203
- Bauer, W.; Nechtelberger, E.
New Investigations on the Relationship between Wall
Thickness and Strength of Unalloyed Cast Iron with
Flake Graphite125
- Berry, J.T.; Suri, V.K.; El-Kaddah, N.
Control of Macrostructure in Aluminum Castings, Part I:
Determination of Columnar/Equiaxed Transition for
Al-4.5%Cu Alloy187
- Berry, J.T.; Suri, V.K.; El-Kaddah, N.
Control of Macrostructure in Aluminum Castings, Part II:
A Magnetic Suspension Melting Process for Quality Castings193
- Berry, J.T.; Huang, H.; Suri, V.K.; Hill, J.L.
Heat Source/Sink Algorithm for Modeling Phase Changes
During Solidification in Castings and Water Evaporation
in Green Sand Molds685
- Berry, J.T.; Hill, J.L.; Guleyupoglu, S.
Knowledge-Based Design of Rigging Systems for
Light Alloy Castings91
- Blair, M.
Casting Specifications: False Security?397
- Bohnert, T.J.; Frederick, P.S.
The New PMMA Expandable Resin for Use
in the Ferrous EPC Process401
- Bray, D.E.; Srinivasan, M.N.; Junghans, P.; Alagarsamy, A.
Critically Refracted Longitudinal (L_{CR}) Wave Technique:
A New Tool for Measurement of Residual Stresses in Castings ...265
- Bye, C.R.; Voigt, R.C.
Microstructural Aspects of Fracture in A35633
- ## C
- Cadarso, L.; Chu, C.N.; Kashyap, R.L.
Finite Element Simulation of T-Shaped Castings369
- Calboreanu, G.
Computerized Measurement of Screen Aperture
and Screen Wire Diameter111
- Cannarsa, M.J.; DiCicco, J.D.
Poly(Alkylene Carbonate): A New Polymer
for Expendable Pattern Casting485
- Carey, P.R.; Schneider, J.T.; Krysiak, M.B.
Testing Techniques that Reflect Effects of Humidity
Exposure on Coldbox Foundry Binder Systems385
- Chakrabarti, A.K.; Jawahar, J.
Development of a Cast Wear-Resistant Steel255
- Chakraborty, M.; Mandal, P.; Saha, A.
Size of Primary Silicon Particles and Mechanical
Properties of As-Cast High-Silicon Al Alloys643
- Chang, C.C.; Shih, T.S.
Effects of Preheat and Holding Time
on the Properties of Green Sand631
- Chang, C.S.; Shih, T.S.; Hwang, L.Z.; Loper, Jr., C.R.
Mechanical Properties and Microstructures
of Austempered Alloyed Ductile Irons793
- Chang, S.; Shanguan, D.; Stefanescu, D.M.
Prediction of Microstructural Evolution in SG
Cast Iron from Solidification to Room Temperature531
- Chen, F.S.; Peng, Q.F.; Qi, B.S.; Wang, Y.S.
Measurement of Al-Zn Phase Diagram
by Acoustic Emission During Solidification199
- Chen, Y.-H.; Im, Y.-T.; Lee, J.K.; Lee, Z.-H.
A Comparative Study of Finite Element Solutions of
Solidification by Temperature Recovery Method299

Chi, L.; Quingchun, L.; Kuiying, C.; Songyan, Z. Rheological Behavior in Solid-Liquid Coexistence Zone and Simulation of Stress-Strain and Hot Cracking of Al-Cu Alloy During Solidification	245
Chiou, H.S.; Pan, E.N.; Liao, G.J. Effects of Modification and Solidification Conditions on the Feeding Behavior of A356 Al Alloy	605
Chongxi, T.; Hua-Qin, S.; Xu-Ru, Y.; Qigui, W. Study on Raising the Impact Toughness of Wear-Resistant High-Chromium Cast Iron	333
Chou, J.-S.; Meyers, C.W. A Statistical Model for Predicting the Fracture of Silicon Particles in HIPped A356 Aluminum Castings	165
Chou, J.-S.; Meyers, C.W. Experimental Investigations of Deformation in HIPped A356 Aluminum Castings	175
Chu, C.N.; Cadarso, L.; Kashyap, R.L. Finite Element Simulation of T-Shaped Castings	369
Church, J.C.; Kennedy, D.O. Gating Castable Metal Matrix Composites	729
Claesson, J.; Krieger, B.; Yonnone, M. Evaluation of Ceramic Response to Microwave Energy	701
Coduti, L.; Baillod, C.R.; Murto, S.L.; Rundman, K.B.; Talford, D.A. Foundry Wastes in Michigan: Inventory and Minimization Potential	673
Creese, R.C.; Xia, Y. Tapered Riser Design Optimization	717
Cullen, G.M.; Powdrell, A.W.; Williams, D.C.; Snell, L. Thermal Characteristics of Refractories in Channel Induction Furnaces	97
D	
Daniels, E.; Twarog, D.; Tuttle, B.L. The Effect of Trace Amounts of Antimony on the Structure and Properties of Aluminum Alloys A356.2	7
Davis, K.G.; Magny, J.-G. Tensile Strength in Permanent Mold and Sand Cast Gray Iron	469
Dawson, R.J.; Sahoo, M.; Taylor, A. Foundry Characteristics and Mechanical Properties of Weldable Monels	507
Delannoy, P.; Stefanescu, D.M.; Piwonka, T.S.; Kacar, S. An Investigation on the Role of Sand-Metal Contact Angle in the Formation of Casting Penetration Defects	761
DiCicco, J.D.; Cannarsa, M.J. Poly(Alkylene Carbonate): A New Polymer for Expendable Pattern Casting	485
Dutta, S.P.; Ghosh, A.K. Human-Factoring the Foundry Environment for Better Quality Control	595
Dziekonski, P.; Hoyt, D.F. Sand Properties and Their Relationship to Compaction for the Expendable Pattern Casting Process	221
E	
Eklund, P.; Louvo, A.; Pellikka, E.; Alhainen, J. Criterion Functions Based on Alloying and Cooling Rate for Simulating the Microstructure and Mechanical Properties of SG Iron Castings	237
El-Kaddah, N.; Suri, V.K.; Berry, J.T. Control of Macrostructure in Aluminum Castings, Part I: Determination of Columnar/Equiaxed Transition for Al-4.5%Cu Alloy	187

El-Kaddah, N.; Suri, V.K.; Berry, J.T. Control of Macrostructure in Aluminum Castings, Part II: A Magnetic Suspension Melting Process for Quality Castings	193
Elliott, W.O.; Hysell, G.R.; Archibald, J.J. New Technology with Ester-Cured Coldbox Binders	17
Engelhardt, W.; Wesp, S. Thermal Reconditioning of Core Sand in an Aluminum Foundry: A Contribution to Environmental Protection	227
Entao, Z.; Fuli, Z.; Zhao, D. Hydraulic Simulation Study on Three-Step Gating Systems	57
Etzel, J.E.; Farrell-Poe, K. Phosphate Complexing of Heavy Metals	133

F

Fang, L.-Y.; Loper, Jr., C.R. Feasibility of the Production of a Low-Carbon Equivalent Spheroidal Graphite Cast Iron: A Review of the Literature	313
Farrell-Poe, K.; Etzel, J.E. Phosphate Complexing of Heavy Metals	133
Faubert, G.P.; Moore, D.J.; Rundman, K.B. Heavy-Section ADI: Fatigue Properties in the As-Cast and Austempered Condition	563
Faubert, G.P.; Moore, D.J.; Rundman, K.B. Heavy-Section ADI: Tensile Properties in the As-Cast and Austempered Condition	551
Flemings, M.C.; Kattamis, T.Z.; Bardes, B.P. Dendrite Arm Spacing in Aluminum Alloys	501
Franklyn, T.; Goodrich, G.M. Factors Influencing Impact Strength of LCB and LCC Steel Castings	277
Fras, E.; Lopez, H.F. The Chilling Equivalent of Cast Iron	51
Frederick, P.S.; Bohnert, T.J. The New PMMA Expandable Resin for Use in the Ferrous EPC Process	401
Fu, J.; Tsai, H.L.; Askeland, D.A. Effect of Vent-Holes in Patterns on Filling Process and Casting Quality Using the Evaporative Pattern Process	305
Fuli, Z.; Entao, Z.; Zhao, D. Hydraulic Simulation Study on Three-Step Gating Systems	57

G

Ganter, M.A.; Skoglund, P.A. Computer-Assisted Pattern Core Development	667
Ghosh, A.K.; Dutta, S.P. Human-Factoring the Foundry Environment for Better Quality Control	595
Goel, S.K.; Singh, J.; Mathur, V.N.S.; Kapoor, M.L. Wear Behavior of Squeeze-Cast Al-Al ₂ O ₃ -MgO Particulate MCCs Under Dry Sliding Conditions	815
Goodrich, G.M.; Franklyn, T. Factors Influencing Impact Strength of LCB and LCC Steel Castings	277
Graf, R. Cokeless Cupola to Channel Furnace Duplexing: A Melt Plant for the Future	691
Granger, D.A. Investigation of a Star-Like Intermetallic Phase Occurring in Alloy 339	379
Green, R.A.; Heine, R.W. Modern Green Sand Control for the 1990s	101

Griffin, J.A.; Patton, K.D.; Bates, C.E. Dimensional Analysis of Expendable Pattern, Green Sand and Nobake Castings	203
Grong, Ø.; Skaland, T. Nodule Distribution in Ductile Cast Iron	153
Gruzleski, J.E.; LaOrchan, W.; Mulazimoglu, H.M. Quantification of the Reduced Pressure Test	653
Gruzleski, J.E.; Tenekedjiev, N. Thermal Analysis of Strontium Treated Hypoeutectic and Eutectic Aluminum-Silicon Casting Alloys	1
Guichelaar, P.J.; Reddy, S.T. A Study of Weight Loss Rates of EPC Patterns During Storage	411
Guichelaar, P.J.; Nenawati, S.; Reddy, S.T. The Indentation of Foam Pattern Surfaces by Coordinate Measuring Machine Probes	287
Guleyupoglu, S.; Berry, J.T.; Hill, J.L. Knowledge-Based Design of Rigging Systems for Light Alloy Castings	91

H

Hancheng, Q.; Xiaodong, P. Research and Application of Spheroidal Graphite Malleable Iron	439
Hancheng, Q.; Xiaodong, P. Study of the Formation of Spheroidal Graphite in Ancient Cast Iron in China	415
Hansen, P.N.; Hartmann, G.C.; Sturm, J.C. Elimination of Shrinkage Defects Through Use of Computer Simulation	477
Hartmann, G.C.; Hansen, P.N.; Sturm, J.C. Elimination of Shrinkage Defects Through Use of Computer Simulation	477
Hay, S.P. Cupola Carbon Tuyere Injection	571
Heine, R.W. Influence of Flotation on Some Foundry Properties of Ductile Iron	159
Heine, R.W.; Green, R.A. Modern Green Sand Control for the 1990s	101
Hill, J.L.; Huang, H.; Suri, V.K.; Berry, J.T. Heat Source/Sink Algorithm for Modeling Phase Changes During Solidification in Castings and Water Evaporation in Green Sand Molds	685
Hill, J.L.; Berry, J.T.; Guleyupoglu, S. Knowledge-Based Design of Rigging Systems for Light Alloy Castings	91
Hinkamp, D.; Novak, J.; Alderink, D.; Polakowski, S.G. Life-Threatening Heat Hazards: A Case Study	601
Hongqing, X.; Hua-Qin, S.; Qigui, W.; Xinli, G. Latest Developments in Production and Research Works of Gray Cast Iron in China	363
Hou, T.S.; Lukens, M.C.; Purvis, A.L.; Pehlke, R.D. Mold/Metal Gap Formation of Al-14%Si Alloy Horizontal Cylinders Cast in Chromite Molding Sand	445
Hou, T.S.; Pehlke, R.D.; Wilkes, J.O. Solidification Modeling: Reduction of Computing Time in the Mold Region	325
Hoyt, D.F.; Dziekonski, P. Sand Properties and Their Relationship to Compaction for the Expendable Pattern Casting Process	221

Huang, H.; Suri, V.K.; Hill, J.L.; Berry, J.T. Heat Source/Sink Algorithm for Modeling Phase Changes During Solidification in Castings and Water Evaporation in Green Sand Molds	685
Hua-Qin, S.; Qigui, W.; Hongqing, X.; Xinli, G. Latest Developments in Production and Research Works of Gray Cast Iron in China	363
Hua-Qin, S.; Chongxi, T.; Xu-Ru, Y.; Qigui, W. Study on Raising the Impact Toughness of Wear-Resistant High-Chromium Cast Iron	333
Hwang, L.Z.; Shih, T.S.; Chang, C.S.; Loper, Jr., C.R. Mechanical Properties and Microstructures of Austempered Alloyed Ductile Irons	793
Hwang, W.-S.; Jong, S.-H. Measurement of Flow Pattern for the Mold Filling of Castings	69
Hwang, W.-S.; Jong, S.-H. Three-Dimensional Mold Filling Simulation for Casting and Its Experimental Verification	117
Hysell, G.R.; Archibald, J.J.; Elliott, W.O. New Technology with Ester-Cured Coldbox Binders	17

I

Ilegbusi, O.J.; Jönsson, P.; Saluja, N.; Szekeley, J. Fluid-Flow Phenomena in the Filling of Cylindrical Molds Using Newtonian (Turbulent) and Non-Newtonian (Power Law) Fluids	291
Im, Y.-T.; Chen, Y.-H.; Lee, J.K.; Lee, Z.-H. A Comparative Study of Finite Element Solutions of Solidification by Temperature Recovery Method	299

J

Javaid, A.; Loper, Jr., C.R. Evaluation of Microstructural Factors Affecting Heavy-Section Ferritic DI Castings	543
Jawahar, J.; Chakrabarti, A.K. Development of a Cast Wear-Resistant Steel	255
Jesko, V.; Zajac, J. A New Method for Shrinkage Prediction in Casting Walls	681
Jones, M.L.; Reed, D.S. Investment Casting of Induction Skull-Melted Titanium and Reactive Alloys	697
Jong, S.-H.; Hwang, W.-S. Measurement of Flow Pattern for the Mold Filling of Castings	69
Jong, S.-H.; Hwang, W.-S. Three-Dimensional Mold Filling Simulation for Casting and Its Experimental Verification	117
Jönsson, P.; Saluja, N.; Ilegbusi, O.J.; Szekeley, J. Fluid-Flow Phenomena in the Filling of Cylindrical Molds Using Newtonian (Turbulent) and Non-Newtonian (Power Law) Fluids	291
Junghans, P.; Srinivasan, M.N.; Bray, D.E.; Alagarsamy, A. Critically Refracted Longitudinal (L_{CR}) Wave Technique: A New Tool for Measurement of Residual Stresses in Castings	265

K

Kacar, S.; Stefanescu, D.M.; Delannoy, P.; Piwonka, T.S. An Investigation on the Role of Sand-Metal Contact Angle in the Formation of Casting Penetration Defects	761
Kannatey-Asibu, Jr., E.; Purvis, A.L.; Pehlke, R.D. Acoustic Emission Signal Characteristics from Casting Defects Formed During Solidification of Al Alloy 319	525

Kapoor, M.L.; Singh, J.; Goel, S.K.; Mathur, V.N.S. Wear Behavior of Squeeze-Cast Al-Al ₂ O ₃ -MgO Particulate MCCs Under Dry Sliding Conditions	815
Kashyap, R.L.; Cadarso, L.; Chu, C.N. Finite Element Simulation of T-Shaped Castings	369
Kattamis, T.Z.; Flemings, M.C.; Bardes, B.P. Dendrite Arm Spacing in Aluminum Alloys	501
Katz, S.; Sahajwalla, V.; Pehlke, R.D.; Landefeld, C.F. Modeling Key Cupola Reactions: Behavior of Carbon, Silicon and Manganese	269
Keenan, T.; Allen, G.R.; Archibald, J.J. Hazardous Air Pollutants: A Challenge to the Metalcasting Industry	585
Kennedy, D.O.; Sverdlin, A.; Mason, J.H. Evaluation of Tooling to Degate and Finish MMC Castings	577
Kennedy, D.O.; Church, J.C. Gating Castable Metal Matrix Composites	729
Khodadadi, J.M.; Liang, Y.; Shen, F. Using an Aqueous System to Model Flow During Continuous Casting	421
Kovacs, B. Heat Treating of Austempered Ductile Iron	281
Krieger, B.; Claesson, J.; Yonnone, M. Evaluation of Ceramic Response to Microwave Energy	701
Krishnan, M.; Sharma, D.G.R. Simulation of Heat Transfer at Casting Metal-Mold Interface	429
Krysiak, M.B.; Carey, P.R.; Schneider, J.T. Testing Techniques that Reflect Effects of Humidity Exposure on Coldbox Foundry Binder Systems	385
Kuiying, C.; Quingchun, L.; Chi, L.; Songyan, Z. Rheological Behavior in Solid-Liquid Coexistence Zone and Simulation of Stress-Strain and Hot Cracking of Al-Cu Alloy During Solidification	245

L

Laird II, G. Microstructures of Ni-Hard I, Ni-Hard IV and High-Cr White Cast Irons	339
Landefeld, C.F.; Sahajwalla, V.; Pehlke, R.D.; Katz, S. Modeling Key Cupola Reactions: Behavior of Carbon, Silicon and Manganese	269
LaOrchan, W.; Mulazimoglu, H.M.; Gruzleski, J.E. Quantification of the Reduced Pressure Test	653
Laslaz, G.; Laty, P. Gas Porosity and Metal Cleanliness in Aluminum Casting Alloys	83
Laty, P.; Laslaz, G. Gas Porosity and Metal Cleanliness in Aluminum Casting Alloys	83
Lee, J.K.; Im, Y.-T.; Chen, Y.-H.; Lee, Z.-H. A Comparative Study of Finite Element Solutions of Solidification by Temperature Recovery Method	299
Lee, Z.-H.; Im, Y.-T.; Chen, Y.-H.; Lee, J.K. A Comparative Study of Finite Element Solutions of Solidification by Temperature Recovery Method	299
Li, Q.; Xu, D.; Pehlke, R.D. Computer Simulation of Al-Cu Alloy Solidification Using a Continuum Model	737
Liang, H.; Smith, G.R. Using Fluidity to Determine the Residual Phosphorus Level of Red Brasses	809
Liang, Y.; Khodadadi, J.M.; Shen, F. Using an Aqueous System to Model Flow During Continuous Casting	421

Liao, G.J.; Pan, E.N.; Chiou, H.S. Effects of Modification and Solidification Conditions on the Feeding Behavior of A356 Al Alloy	605
Loper, Jr., C.R.; Javadi, A. Evaluation of Microstructural Factors Affecting Heavy-Section Ferritic DI Castings	543
Loper, Jr., C.R.; Fang, L.-Y. Feasibility of the Production of a Low-Carbon Equivalent Spheroidal Graphite Cast Iron: A Review of the Literature	313
Loper, Jr., C.R.; Shih, T.S.; Chang, C.S.; Hwang, L.Z. Mechanical Properties and Microstructures of Austempered Alloyed Ductile Irons	793
Lopez, H.F.; Fras, E. The Chilling Equivalent of Cast Iron	51
Louvo, A.; Pellikka, E.; Alhainen, J.; Eklund, P. Criterion Functions Based on Alloying and Cooling Rate for Simulating the Microstructure and Mechanical Properties of SG Iron Castings	237
Lukens, M.C.; Hou, T.S.; Purvis, A.L.; Pehlke, R.D. Mold/Metal Gap Formation of Al-14%Si Alloy Horizontal Cylinders Cast in Chromite Molding Sand	445

M

Magny, J.-G.; Davis, K.G. Tensile Strength in Permanent Mold and Sand Cast Gray Iron	469
Mandal, P.; Saha, A.; Chakraborty, M. Size of Primary Silicon Particles and Mechanical Properties of As-Cast High-Silicon Al Alloys	643
Mason, J.H.; Kennedy, D.O.; Sverdlin, A. Evaluation of Tooling to Degate and Finish MMC Castings	577
Mathur, V.N.S.; Singh, J.; Goel, S.K.; Kapoor, M.L. Wear Behavior of Squeeze-Cast Al-Al ₂ O ₃ -MgO Particulate MCCs Under Dry Sliding Conditions	815
Merritt, T.W. Ergonomics and Cumulative Trauma Disorder Control: A Strategy for Management	63
Meyers, C.W.; Chou, J.-S. A Statistical Model for Predicting the Fracture of Silicon Particles in HIPped A356 Aluminum Castings	165
Meyers, C.W.; Chou, J.-S. Experimental Investigations of Deformation in HIPped A356 Aluminum Castings	175
Mickelson, R.; Rotella, J. Using Cored Wire in the Production of Ductile Iron	519
Mobley, C.E.; Weddington, V.L. Influence of Sand Surface Chemistry on Bonding	825
Mocarski, S.J.; Scarich, G.V.; Wu, K.C. Effect of Hot Isostatic Pressure on Cast Aluminum Airframe Components	77
Moore, D.J.; Faubert, G.P.; Rundman, K.B. Heavy-Section ADI: Fatigue Properties in the As-Cast and Austempered Condition	563
Moore, D.J.; Faubert, G.P.; Rundman, K.B. Heavy-Section ADI: Tensile Properties in the As-Cast and Austempered Condition	551
Mulazimoglu, H.M.; LaOrchan, W.; Gruzleski, J.E. Quantification of the Reduced Pressure Test	653
Murto, S.L.; Baillod, C.R.; Coduti, L.; Rundman, K.B.; Talford, D.A. Foundry Wastes in Michigan: Inventory and Minimization Potential	673

N

- Nafziger, R.H.
Alternate Fuels for Cupola Operations25
- Nechtelberger, E.; Bauer, W.
New Investigations on the Relationship between
Wall Thickness and Strength of Unalloyed
Cast Iron with Flake Graphite125
- Nenawati, S.; Reddy, S.T.; Guichelaar, P.J.
The Indentation of Foam Pattern Surfaces by
Coordinate Measuring Machine Probes287
- Novak, J.; Hinkamp, D.; Alderink, D.; Polakowski, S.G.
Life-Threatening Heat Hazards: A Case Study601

O

- Oswald, E.
Formal Quality Systems for World Class Tooling149
- Oswald, S.G.
Converting to Preformed Ceramic Pour Cups791

P

- Pan, E.N.; Chiou, H.S.; Liao, G.J.
Effects of Modification and Solidification Conditions
on the Feeding Behavior of A356 Al Alloy605
- Patton, K.D.; Griffin, J.A.; Bates, C.E.
Dimensional Analysis of Expendable Pattern,
Green Sand and Nobake Castings203
- Pehlke, R.D.; Purvis, A.L.; Kannatey-Asibu, Jr., E.
Acoustic Emission Signal Characteristics from Casting
Defects Formed During Solidification of Al Alloy 319525
- Pehlke, R.D.; Xu, D.; Li, Q.
Computer Simulation of Al-Cu Alloy Solidification
Using a Continuum Model737
- Pehlke, R.D.; Sahajwalla, V.; Landefeld, C.F.; Katz, S.
Modeling Key Cupola Reactions: Behavior of
Carbon, Silicon and Manganese269
- Pehlke, R.D.; Lukens, M.C.; Hou, T.S.; Purvis, A.L.
Mold/Metal Gap Formation of Al-14%Si Alloy
Horizontal Cylinders Cast in Chromite Molding Sand445
- Pehlke, R.D.; Hou, T.S.; Wilkes, J.O.
Solidification Modeling: Reduction of
Computing Time in the Mold Region325
- Pellikka E.; Luovo, A.; Alhainen, J.; Eklund, P.
Criterion Functions Based on Alloying and
Cooling Rate for Simulating the Microstructure
and Mechanical Properties of SG Iron Castings237
- Peng, Q.F.; Chen, F.S.; Qi, B.S.; Wang, Y.S.
Measurement of Al-Zn Phase Diagram by
Acoustic Emission During Solidification199
- Piwonka, T.S.; Stefanescu, D.M.; Delannoy, P.; Kacar, S.
An Investigation on the Role of Sand-Metal Contact
Angle in the Formation of Casting Penetration Defects761
- Polakowski, S.G.; Hinkamp, D.; Novak, J.; Alderink, D.
Life-Threatening Heat Hazards: A Case Study601
- Powdrell, A.W.; Cullen, G.M.; Williams, D.C.; Snell, L.
Thermal Characteristics of Refractories
in Channel Induction Furnaces97
- Prasanna Kumar, T.S.
Implementation of an Efficient FEA Program
for Solidification Simulation on a PC661
- Purvis, A.L.; Kannatey-Asibu, Jr., E.; Pehlke, R.D.
Acoustic Emission Signal Characteristics from Casting
Defects Formed During Solidification of Al Alloy 319525

- Purvis, A.L.; Lukens, M.C.; Hou, T.S.; Pehlke, R.D.
Mold/Metal Gap Formation of Al-14%Si Alloy
Horizontal Cylinders Cast in Chromite Molding Sand445

Q

- Qi, B.S.; Peng, Q.F.; Chen, F.S.; Wang, Y.S.
Measurement of Al-Zn Phase Diagram by
Acoustic Emission During Solidification199
- Qigui, W.; Hua-Qin, S.; Hongqing, X.; Xinli, G.
Latest Developments in Production and
Research Works of Gray Cast Iron in China363
- Qigui, W.; Hua-Qin, S.; Chongxi, T.; Xu-Ru, Y.
Study on Raising the Impact Toughness of
Wear-Resistant High-Chromium Cast Iron333
- Quingchun, L.; Kuiying, C.; Chi, L.; Songyan, Z.
Rheological Behavior in Solid-Liquid Coexistence
Zone and Simulation of Stress-Strain and
Hot Cracking of Al-Cu Alloy During Solidification245

R


- Reddy, S.T.; Guichelaar, P.J.
A Study of Weight Loss Rates of
EPC Patterns During Storage411
- Reddy, S.T.; Nenawati, S.; Guichelaar, P.J.
The Indentation of Foam Pattern Surfaces
by Coordinate Measuring Machine Probes287
- Reed, D.S.; Jones, M.L.
Investment Casting of Induction Skull-Melted
Titanium and Reactive Alloys697
- Robins, J.; Toriello, L.I.; Schafer, R.J.
The Effects of Sand and Foundry Variables
on the Performance of Nobake Binders623
- Romero, J.M.; Smith, R.W.; Sahoo, M.
Feeding Distances in Aluminum Bronze465
- Rong De, L.; Xiang, Y.J.
Heterogeneous Nuclei in Flake Graphite707
- Roshan, H.Md.; Sastri, V.M.K.; Agarwal, R.
Die Temperature Control in Pressure Diecasting493
- Rossbacher, W.; Basoms, J.
Low-Odor Shell Resin-Coated Sands451
- Rotella, J.; Mickelson, R.
Using Cored Wire in the Production of Ductile Iron519
- Rowe, C.A.
Blind Risers: Why They Don't Always Work359
- Rundman, K.B.; Bailod, C.R.; Coduti, L.; Murto, S.L.;
Talford, D.A.
Foundry Wastes in Michigan: Inventory
and Minimization Potential673
- Rundman, K.B.; Faubert, G.P.; Moore, D.J.
Heavy-Section ADI: Fatigue Properties in the
As-Cast and Austempered Condition563
- Rundman, K.B.; Faubert, G.P.; Moore, D.J.
Heavy-Section ADI: Tensile Properties in the
As-Cast and Austempered Condition551

S

- Saha, A.; Mandal, P.; Chakraborty, M.
Size of Primary Silicon Particles and Mechanical
Properties of As-Cast High-Silicon Al Alloys643
- Sahajwalla, V.; Pehlke, R.D.; Landefeld, C.F.; Katz, S.
Modeling Key Cupola Reactions: Behavior of
Carbon, Silicon and Manganese269

Sahoo, M.; Romero, J.M.; Smith, R.W. Feeding Distances in Aluminum Bronze	465	Songyan, Z.; Quingchun, L.; Kuiying, C.; Chi, L. Rheological Behavior in Solid-Liquid Coexistence Zone and Simulation of Stress-Strain and Hot Cracking of Al-Cu Alloy During Solidification	245
Sahoo, M.; Taylor, A.; Dawson, R.J. Foundry Characteristics and Mechanical Properties of Weldable Monels	507	Srinivasan, M.N.; Bray, D.E.; Junghans, P.; Alagarsamy, A. Critically Refracted Longitudinal (L_{CR}) Wave Technique: A New Tool for Measurement of Residual Stresses in Castings	265
Saigal, A. Tensile Properties of Silicon Carbide Reinforced Aluminum Cast Composites: Finite Element Analysis	713	Stanforth, R.R.; Turpin, P.D. Comparison of EP Toxicity and TCLP Testing of Foundry Waste	261
Saluja, N.; Jönsson, P.; Ilegbusi, O.J.; Szekely, J. Fluid-Flow Phenomena in the Filling of Cylindrical Molds Using Newtonian (Turbulent) and Non-Newtonian (Power Law) Fluids	291	Stefanescu, D.M.; Delannoy, P.; Piwonka, T.S.; Kacar, S. An Investigation on the Role of Sand-Metal Contact Angle in the Formation of Casting Penetration Defects	761
Sastri, V.M.K.; Roshan, H.M.; Agarwal, R. Die Temperature Control in Pressure Diecasting	493	Stefanescu, D.M.; Chang, S.; Shangquan, D. Prediction of Microstructural Evolution in SG Cast Iron from Solidification to Room Temperature	531
Scarich, G.V.; Mocarski, S.J.; Wu, K.C. Effect of Hot Isostatic Pressure on Cast Aluminum Airframe Components	77	Stefanescu, D.M.; Banerjee, D.K. Structural Transitions and Solidification Kinetics of SG Cast Iron During Directional Solidification Experiments	747
Schafer, R.J.; Robins, J.; Toriello, L.I. The Effects of Sand and Foundry Variables on the Performance of Nobake Binders	623	Sturm, J.C.; Hansen, P.N.; Hartmann, G.C. Elimination of Shrinkage Defects Through Use of Computer Simulation	477
Schmidt, D.G. The Challenge for Copper Alloy Castings in the 21st Century	139	Su, C.H.; Tsai, H.L. A Direct Method to Include Latent Heat Effect for Modeling Casting Solidification	781
Schneider, J.T.; Carey, P.R.; Krysiak, M.B. Testing Techniques that Reflect Effects of Humidity Exposure on Coldbox Foundry Binder Systems	385	Suri, V.K.; El-Kaddah, N.; Berry, J.T. Control of Macrostructure in Aluminum Castings, Part I: Determination of Columnar/Equiaxed Transition for Al-4.5%Cu Alloy	187
Shangquan, D.; Chang, S.; Stefanescu, D.M. Prediction of Microstructural Evolution in SG Cast Iron from Solidification to Room Temperature	531	Suri, V.K.; El-Kaddah, N.; Berry, J.T. Control of Macrostructure in Aluminum Castings, Part II: A Magnetic Suspension Melting Process for Quality Castings	193
Sharma, D.G.R.; Krishnan, M. Simulation of Heat Transfer at Casting Metal-Mold Interface	429	Suri, V.K.; Huang, H.; Hill, J.L.; Berry, J.T. Heat Source/Sink Algorithm for Modeling Phase Changes During Solidification in Castings and Water Evaporation in Green Sand Molds	685
Shen, F.; Khodadadi, J.M.; Liang, Y. Using an Aqueous System to Model Flow During Continuous Casting	421	Sverdlin, A.; Kennedy, D.O.; Mason, J.H. Evaluation of Tooling to Degate and Finish MMC Castings	577
Shih, T.S.; Chang, C.C. Effects of Preheat and Holding Time on the Properties of Green Sand	631	Svoboda, J.M. Plasma and Flame Reactor Treatment of Electric Arc Furnace Dust	405
Shih, T.S.; Chang, C.S.; Hwang, L.Z.; Loper, Jr., C.R. Mechanical Properties and Microstructures of Austempered Alloyed Ductile Irons	793	Szekely, J.; Jönsson, P.; Saluja, N.; Ilegbusi, O.J. Fluid-Flow Phenomena in the Filling of Cylindrical Molds Using Newtonian (Turbulent) and Non-Newtonian (Power Law) Fluids	291
Shriver, H.R.; Barnett, K.W.; Archibald, J.J. Casting and Environmental Advances in the FRC Process	215		
Sims, Jr., H.M. Help the Eagles Fly!	489	T	
Singh, J.; Goel, S.K.; Mathur, V.N.S.; Kapoor, M.L. Wear Behavior of Squeeze-Cast Al-Al ₂ O ₃ -MgO Particulate MCCs Under Dry Sliding Conditions	815	Talford, D.A.; Baillod, C.R.; Coduti, L.; Murto, S.L.; Rundman, K.B. Foundry Wastes in Michigan: Inventory and Minimization Potential	673
Skaland, T.; Grong, Ø. Nodule Distribution in Ductile Cast Iron	153	Taylor, A.; Sahoo, M.; Dawson, R.J. Foundry Characteristics and Mechanical Properties of Weldable Monels	507
Skoglund, P.A.; Ganter, M.A. Computer-Assisted Pattern Core Development	667	Tenekedjiev, N.; Gruzleski, J.E. Thermal Analysis of Strontium Treated Hypoeutectic and Eutectic Aluminum-Silicon Casting Alloys	1
Smith, G.R.; Liang, H. Using Fluidity to Determine the Residual Phosphorus Level of Red Brasses	809		
Smith, R.W.; Romero, J.M.; Sahoo, M. Feeding Distances in Aluminum Bronze	465		
Snell, L.; Powdrell, A.W.; Cullen, G.M.; Williams, D.C. Thermal Characteristics of Refractories in Channel Induction Furnaces	97		

Toriello, L.I.; Robins, J.; Schafer, R.J. The Effects of Sand and Foundry Variables on the Performance of Nobake Binders	623	Williams, D.C.; Powdrell, A.W.; Cullen, G.M.; Snell, L. Thermal Characteristics of Refractories in Channel Induction Furnaces	97
Tsai, H.L.; Su, C.H. A Direct Method to Include Latent Heat Effect for Modeling Casting Solidification	781	Wu, K.C.; Mocarski, S.J.; Scarich, G.V. Effect of Hot Isostatic Pressure on Cast Aluminum Airframe Components	77
Tsai, H.L.; Fu, J.; Askeland, D.A. Effect of Vent-Holes in Patterns on Filling Process and Casting Quality Using the Evaporative Pattern Process	305		
Tseng, C.-H.; Askeland, D.R. A Study of Selected Process Parameters for the Evaporative Pattern Casting Process	455	X	
Turpin, P.D.; Stanforth, R.R. Comparison of EP Toxicity and TCLP Testing of Foundry Waste	261	Xia, Y.; Creese, R.C. Tapered Riser Design Optimization	717
Tuttle, B.L.; Twarog, D.; Daniels, E. The Effect of Trace Amounts of Antimony on the Structure and Properties of Aluminum Alloys A356.2	7	Xiang, Y.J.; Rong De, L. Heterogeneous Nuclei in Flake Graphite	707
Twarog, D.; Tuttle, B.L.; Daniels, E. The Effect of Trace Amounts of Antimony on the Structure and Properties of Aluminum Alloys A356.2	7	Xiaodong, P.; Hancheng, Q. Research and Application of Spheroidal Graphite Malleable Iron	439
		Xiaodong, P.; Hancheng, Q. Study of the Formation of Spheroidal Graphite in Ancient Cast Iron in China	415
V		Xinli, G.; Hua-Qin, S.; Qigui, W.; Hongqing, X. Latest Developments in Production and Research Works of Gray Cast Iron in China	363
Voigt, R.C.; Bye, C.R. Microstructural Aspects of Fracture in A356	33	Xu, D.; Li, Q.; Pehlke, R.D. Computer Simulation of Al-Cu Alloy Solidification Using a Continuum Model	737
		Xu-Ru, Y.; Hua-Qin, S.; Chongxi, T.; Qigui, W. Study on Raising the Impact Toughness of Wear-Resistant High-Chromium Cast Iron	333
W			
Wang, Y.S.; Peng, Q.F.; Chen, F.S.; Qi, B.S. Measurement of Al-Zn Phase Diagram by Acoustic Emission During Solidification	199	Y	
Weddington, V.L.; Mobley, C.E. Influence of Sand Surface Chemistry on Bonding	825	Yonnone, M.; Claesson, J.; Krieger, B. Evaluation of Ceramic Response to Microwave Energy	701
Wesp, S.; Engelhardt, W. Thermal Reconditioning of Core Sand in an Aluminum Foundry: A Contribution to Environmental Protection	227		
Wilkes, J.O.; Hou, T.S.; Pehlke, R.D. Solidification Modeling: Reduction of Computing Time in the Mold Region	325	Z	
		Zajac, J.; Jesko, V. A New Method for Shrinkage Prediction in Casting Walls	681
		Zhaohao, D.; Fuli, Z.; Entao, Z. Hydraulic Simulation Study on Three-Step Gating Systems	57



Subject Index

A

- A201 77, 79
- A356 aluminum alloy
- castings, deformation in HIPed 175-86
 - castings, solidification modeling of 685-89
 - castings, statistical modeling of HIPed 165-73
 - crack initiation and propagation 33
 - effects of modification and solidification conditions on 605
 - grain refinement of 41
 - influence of microstructure on crack initiation in 33
 - Magnetic Suspension Melting™ of 197
 - measuring hydrogen content of 653-59
 - mechanical properties of 41
 - microporosity in castings of 611-19
- A356.0 (UNS A13560) 713
- A356.2, effect of antimony on strontium-modified 7
- A357 77
- A357.0 (UNS 13570) 713
- A8090, typical grain structures achieved using
- Magnetic Suspension Melting™ process 197
- Abrasive cutoff wheels for use on MMCs 583
- Acceptable Ambient Concentrations (AACs)
- of hazardous chemicals 589
- Acoustic emission signal(s). *See also:* Nondestructive testing
- measurement of Al-Zn phase diagram using 199-202
 - testing 525-530
- Acoustic wave analysis of SG irons 317-18
- ADI. *See:* Austempered ductile iron
- AFS Clay Content 223
- AFS Grain Fineness Numbers 222
- Air pollutants
- emission factors for 588
 - from cokeless cupolas 694
 - hazardous 585-93
- Al-4.5%Cu alloy, determination of columnar
- equiaxed transition for 187-91
- Al-Cu alloy solidification 737-45
- Al-Zn phase diagrams, measurement of,
- using acoustic emissions 199-202
- Alternate fuels for cupolas 25-31
- Aluminum
- aircraft components 77-81
 - as a nitride former in steel 255
- Aluminum bronze, C95300, feeding distance in 465-68
- Aluminum cast composites, silicon carbide reinforced 71
- Aluminum casting alloys. *See also:* Metal
- matrix composites (MMCs)
 - cleanliness of 83-90
 - control of macrostructure in 187-91
 - dendrite arm spacing in 501
 - eutectic solidification of 686-89
 - gas porosity and metal cleanliness in 83-90
 - high-silicon 643-51
 - solidification mechanisms of 659
 - thermal analysis of 1
- Aluminum-copper alloy, rheological behavior
- during solidification of an 245
- Antimony additions to strontium-modified A356.2 7
- Aqueous fluid flow modeling, visualization techniques in 421-428

- ASTM 70/40 grade 279
- ASTM A148 80/50 grade 279
- ASTM A216 WCB grade 279
- ASTM A27 70/36 279
- ASTM A352-88 277, 279
- ASTM A494 400
- ASTM A536 543
- ASTM A732 specifications for investment castings 397
- ASTM A743/A744 CN7M 397
- ASTM A744/744M 511
- ASTM A744/A744M 507
- ASTM B369-87 508-509
- ASTM E 155 733
- Atmospheric radiant heat furnaces 339
- Austempered ductile iron
- fatigue properties of 563-70
 - heat treating of 281-86
 - mechanical properties and microstructures of 793-808
 - tensile properties in heavy-section 551
- Austempering effect on tensile properties
- in heavy sections 556-58
- Austenite, nucleation of primary 748

B

- Baghouse filtration 231
- Band saw blades, used to cut MMCs 577-78
- Barium inoculation of cast iron 363
- Baumgart winged-edge data structure 668
- Bentonite particle size and surface area 631
- Binder(s)
- ester-cured coldbox 17, 23
 - furan nobake 387, 624
 - nobake 623-26
 - phenolic urethane 19, 624
 - shelf life 18
- Blind risers 359-61
- Breadth First Search (BFS) 669
- Bridgman-type furnace 747
- Brush, Dr. E.F. 139
- Bubble trap 732-34

C

- C83600, determining residual phosphorus levels in 809-13
- C84400, determining residual phosphorus levels in 809-13
- C95300, feeding distances in 465-68
- Calcium-Barium (Ca-Ba) inoculation of cast iron 363
- Canadian Department of National Defense (DND) 507
- Carbon
- adsorption used to control HAPs 591
 - behavior in the cupola, mathematical modeling of 273-76
 - diffusion, theory of SG growth through 749-52
 - injection into cupola tuyeres 571-76
- Cast iron. *See also:* Austempered ductile iron;
- Ductile cast iron; Gray cast iron(s);
 - SG cast iron and SG malleable cast iron
- calcium-barium (Ca-Ba) inoculation of 363

chilling equivalent of	51-56
coupled zone in	748
graphite nucleation of	707-12
gray	125, 364-65, 469-76
inoculants	363-64
microstructure and mechanical properties of	365
microstructures of white	339-57
modification and filtration of	337
effect of section thickness on flotation in	161
structural changes in	754-59
structural transitions in	749-50
ancient Chinese SG	415-20
synthetic	364
white	342-43
Casting	
design	70-71
feeding	465-68, 477-83
modeling metal flow in continuous	421-28
solidification, penetration during	764-79
specifications	397
strength, related to wall thickness	131
stress, residual	265
thickness, effect on solidification of	375-76
walls, predicting shrinkage in	681-84
wall thickness	125-31
Casting defects, acoustic emission signal	
characteristics from	525-30
Catalytic incineration of HAPs	591
Cement-bonded sand	125
Center for Materials Production (CMP)	405
Ceramic(s)	
dielectric properties of	702
foam filters	465
heating behavior of	702-704
pour cups, converting to	791-92
shells, microwave dewaxing of	701-706
Channel	
furnace duplexed with a cokeless cupola	691-95
induction furnaces, refractories for use in	97
Chemical binders, categories of	827
Chilling equivalent of cast iron	51-56
Chills	
effects on casting porosity of	610-11
used in feeding aluminum-bronze	466-67
Chlorofluorocarbon(s)	203
blowing agent for PMMA	401
Choke core	732
Chromite sand	445
Chvorinov's Rule	369
Clean Air Act Amendments (CAAA) of 1990,	
impact on the foundry industry of	586-87
Clean Air Act of 1970, Section 112	585-86
Coke cupola additions, decreasing	575
Cokeless cupola	
emissions	694
to channel furnace duplexing	691-95
Coldbox binders, testing techniques that	
reflect effects of humidity on	385-95
Columnar-to-equiaxed transition in	
Al-4.5% Cu alloys	187-191, 195-96
Computer Aided Design (CAD)	
of cores	667
use of solidification FEA in	661
Computer modeling	
of Al-Cu alloy solidification	737-45
of casting wall shrinkage	681-84
of hot cracking	248-53
of SG cast iron solidification	237-43
of shrinkage defect elimination	477
of solidification	661-65
of stress-strain and hot cracking during solidification	248-53
Computerized measurement of screen aperture	
and screen wire diameter	111-16
Condensers, used to control HAPs	591
Continuous casting, aqueous modeling of metal flow in	421-28
Continuous nucleation/growth of voids	166
Continuum model for simulating solidification	
of Al-Cu alloy	737-45
Control volume finite difference method	478
Cooling curve analysis	783-85
for ductile cast iron	154
Cooling curves, modeling, for SG cast iron	237-43
Cooling fluidized bed sand conditioner	230-31
Coordinate measuring machine probes	287-90
Copper alloy castings	139-47
Copper Development Association, Inc. (CDA),	
1972-88 market study by the	139
Core(s)	
abrasion tests	393-95
binders, performance of four	627-29
choke	732
firecracker	360
gas emitted from	360
pattern	667
sand, thermal reconditioning of	227-35
strength improvements in	19
Core Abrasion Test, of resin-bonded cores	386-38, 393-95
Cored wire, used in the production of ductile iron	519-23
Coreprints	671-72
Crack initiation and propagation in A356	33
Critically Refracted Longitudinal (L_{cr}) Wave	
Technique for measuring residual casting stress	265
Cryogenic isothermal treatment	340
Cumulative trauma disorder	63-68
Cupola(s)	
alternate fuels for	25-31
channel furnace duplexing with cokeless	691-95
mathematical modeling of reactions in the	269-76
tuyeres, carbon injection into	571-76
Cylindrical molds, fluid flow phenomenon in the filling of	291-97
D	
D-type graphite in gray cast iron	366-67
Defect(s)	
analysis, acoustic emission signal	525-30
casting penetration	761-79
expendable pattern casting	305
Degassing, effect of, in feeding aluminum bronzes	467
Dendrite arm spacing in aluminum alloys	501
Design	
casting cavity and gating system	70-71
of dies	493-500
of tapered risers	717
Dewaxing, microwave	701-706
Dies	493-500
Dimensional analysis of expendable pattern,	
green sand and no-bake produced castings	203
Double Ligament Tensile Test	176-77
Double taper side riser	721-23
Dry sliding wear measurements of MMCs	815-23
Ductile cast iron. <i>See also:</i> SG cast iron	
cooling curve analysis	154-55
cored wire used in the production of	519-523
effect of casting section thickness on flotation in	161
effect of section size on the mechanical	
properties of	563
eutectoid transformation in	153, 534-538

evaluation of microstructural factors affecting	543-549
influence of flotation on the foundry properties of	159-64
mechanical properties and microstructures of austenitic	793-808
microstructural constituents of	155
nodule distribution in	153-57
yield and model of fracture in	555-56
Dynamic elastic modulus	317-18

E

ECISS/Comité Européé d'Normalisation (CEN) decision to use specifications developed by ISO	400
Electric arc furnace dust, plasma and flame reactor treatment of	405-409
Electro-Discharged Machining (EDM)	341
Employee health, heat-stress hazards to	601-603
Energy Dispersive Analysis of X-Ray (EDAX) of resin-bonded sands	837-43
EPC patterns	
coating of	455-56
from polymethyl methacrylate (PMMA)	412
influence of pattern glue on the filling rate of	458-59
Epoxy acrylic binders	387
EPS patterns, storage of	412-13
Equilibrium Clay Parameter (ECP)	108
Ergonomics	63-68
Ester-cured phenolic nobake binders	624-25
European Committee for Iron and Steel Standardization	400
Eutectic	
cells in gray iron	365-66
reaction in aluminum alloys, thermal analysis of	2-5
solidification of aluminum alloys	686-89
transformation in ductile cast iron	153
Eutectoid transformation temperatures in ductile iron	537-38
Evaporative pattern casting(s). <i>See also:</i> Expendable Pattern Casting (EPC)	
gating	459-64
influence of pattern material on the production of	459-64
patterns, influence of glue types on the filling rate of	458-59
study of selected process parameters in	455
EXCAST	369
Expandable polystyrene (EPS)	203, 305
Expanded polymethyl methacrylate (EPMMA)	203
Expanded Polystyrene (EPS)	287
Expendable Pattern Casting (EPC). <i>See also:</i> Evaporative Pattern Casting(s)	
dimensional analysis comparison of	203
mold vent holes used with	305-11
sand properties and their relationship to compaction in	221-26
typical defects found in	305
use of poly(allylene carbonate) in	485-87
study of weight loss during storage of patterns for	411-14
Extraction Procedure (EP) Toxicity	133
Extraction Procedure (EP) Toxicity Test	261-63

F

Fatigue cracks in HIPed A201-T7	79
Feeding	
distance in aluminum bronze C9530	465-68
of castings, modulus techniques used to calculate	477
Fibrous refractory filters	333
Filters	
ceramic foam	465
effect of, in feeding aluminum-bronzes	467
Filtration	
baghouse	231

influence of, on high-Cr cast iron	337
Finishing metal matrix composites	577-83
Finite Difference Method (FDM)	325, 333, 369
modeling of solidification	682
for directional solidification of SG iron	751-52
for solving transient heat conduction equations	661
Finite Element Analysis (FEA)	
of Al cast composite tensile properties	713-16
for solidification	299, 661-665
of T-shaped castings	369-77
Finite Element Method (FEM)	325, 369
two-dimensional	447
Firecracker core failure	360
First Bubble Method for measuring hydrogen in aluminum melts	653
Flake graphite	747
heterogeneous nuclei in	707-12
nucleation of	752
Flotation	
effects of, in feeding and shrinkage of ductile cast iron	159-64
zone identification in ductile cast iron	163
Fluid flow	
measurement of, in mold filling	69-75
phenomenon in the filling of cylindrical molds	291-97
Fluidity	
effect of flotation on, in ductile cast iron	161
using, to determine the residual phosphorus level	809-13
variables affecting	12
Fluorescent dye tracer method of aqueous flow visualization	423, 427
Foundry wastes	673-79
comparison of EP Toxicity and TCLP testing of	261-63
413 aluminum alloy, measuring the hydrogen content of	653-59
Free Radical Cure (FRC) process, casting and environmental advances in the	215-20
Furan nobake binders	624
SO ₂ gassed	387
Furnace(s)	
aluminum sludge buildup in holding	379
Bridgman-type	747
channel	691-95
channel induction	97

G

Gas porosity in aluminum casting alloys	83-90
Gates, shape of	94
Gating	
castable metal matrix composites	729-34
systems, hydraulic simulation on three-step	57-61
Gauss Elimination technique	662-63, 665
Gauss-Seidel technique	662
Geometric modeling technique	369
Grain refinement, influence of, in A356 crack initiation	41
Granular substrates, metal samples on	772-73
Graphite flake. <i>See:</i> Flake graphite	
Graphite	
nodules, characteristics of	163-64
spheroids, growth kinetics of	752-54
nucleation of	748
Gravity segregation of aluminum melts	379
Gray cast iron(s)	364-67
standard, DIN 1691	125
tensile strength in permanent mold and sand cast	469-76
Green sand	
additives	105-107
control of	101

effects of preheat and holding time	
on the properties of	631-41
molds, modeling changes in water evaporation in	685
types of	101-103
Grinding wheels used to cut MMCs	579
Ground-Level Concentrations (GLCs) of chemicals,	
determination of	589

H

HAP (Hazardous Air Pollutants)	587-92
permitting strategy under state/local HAP programs	587-88
Hardness of ductile iron, predicting	536-37
Hazardous Air Pollutant(s)	585
control of	590-92
state and local regulation of	588-90
Hazardous waste. <i>See also: Foundry wastes and Wastes</i>	
Acceptable Ambient Concentrations (AACs) of	589
comparison of TCLP and EP tests for foundry	261-63
Heat source/sink algorithm for modeling phase	
changes during solidification	685
Heat	
stress of employees	601-603
transfer simulation at mold-metal interface	429
treating of austempered ductile iron	281-86
treatment effect on SG malleable iron	442
Heavy metals, phosphate complexing of	133-38
Hexamethylenetetramine (Hexa)	451
High-chromium	
cast iron, study on raising the impact	
toughness of wear-resistant	333-37
white cast irons, microstructures of	339-57
High-silicon aluminum casting alloys, size of primary	
silicon particles and mechanical properties of	643-51
High-temperature fluidized bed sand reconditioner	229-30
Holding	
furnaces, sludging of aluminum in	379
time and preheating effects on the properties	
of green sand	631-41
Hood-stack study to determine HEP foundry emissions	588
Hot cracking	
computer modeling of	248-53
formation of	252-53
Hot Isostatic Pressing (HIP)	175
effect of, on aluminum aircraft components	77-81
HSLA (High-Strength Low-Alloy) steels	255-60
Hydrogen	
recirculating gas methods for measuring,	
in situ in aluminum melts	653
reduced pressure test for	653-59
TELEGAS measurement of aluminum melt	654
Hydrogen-bubble method of aqueous	
flow visualization	423, 427

I

In-the-mold inoculation of cast iron	364-67
Incineration of HAPs	590
Induction skull-melted titanium and reactive alloys	
investment casting of	697-700
Inoculation of cast iron	363-67
Incineration of HAPs	591
Interface resistance effect between casting and mold	373
Internal voids	669
Investment casting(s)	

ASTM A732 specifications for	397
of induction skull-melted titanium and reactive alloys	697-700
microwave dewaxing in	701-706
titanium	697-700
use of ceramic pour cups in	791-92

Iron

oxide formation in the cupola	270-72
wetting behavior of	765-70
Isothermal	
solid-state reactions in white cast irons	342-43
solidification of metal	371-72
transformation experiments	538

J

Jacobson tree pattern	809
Job	
Severity Index (JSI)	597
skills, education and training to acquire	489-92
stress, sources of	595-97

K

"K" factor as a measure of thermal characteristics	97
K-Contour Method	369

L

Landfills, deposition of foundry sand in	678-79
Latent heat effect included in solidification modeling	781-89
Lining channel induction furnace	98
Loss-on-Ignition (LOI)	226
Low-alloy cast iron	364-65

M

Macrostructure	
control of, in Al-4.5%Cu alloy	187-91
control of, in aluminum casting alloys	193
Magnesium treatment of ductile iron	519
Magnetic Suspension Melting™ process to control	
macrostructure in aluminum castings	187, 193
Malleable iron	322
spheroidal graphite	439-43
Manganese	
effect of, on tensile properties of austempered iron	558
loss in the cupola, mathematical modeling of	272-76
Mathematical modeling	
Al-Cu alloy solidification	737-45
of the fluid flow and free-surface behavior	291-97
of fracture in HIPed A356 castings	165-173
of heat transfer at the mold-metal interface	429
nucleation and growth kinetics of SG cast iron	747-59
of phase changes during solidification	685
solidification	325-32
of solidification including latent heat effect	781-89
of solidification using FEA	661-65
of solidification using finite element analysis	299
tapered riser design	717
using EXCAST	369-77
Melting	
carbon tuyere injection used to lower costs of	571-76
induction-skull, of titanium and reactive alloys	697-700
Metal cleanliness, aluminum	83-90

Metal matrix composites (MMCs). *See also:*

Aluminum casting alloys	
degating and finishing	577-583
gating castable	729-34
microhardness measurements of	817
silicon carbide reinforced aluminum	713-16
wear behavior of squeeze-cast Al-Al ₂ O ₃ -MgO	815-23
Metallurgical head, effect of, on EPC casting defects	310-11
Method of Analysis of Variance (ANOVA)	645
Methylene blue clay, measuring available	108
Michigan	
air toxic control program in	589
foundry wastes in	673
Microcast-X™ (MX)	193
Microporosity in A356 castings	611-19
Microwaves, evaluation of ceramic response to	701-706
MIL STD 2175	733
MMC. <i>See:</i> Metal matrix composites (MMCs)	
Modulus of elasticity	313-17
Mold(s)	
filling	117-24
filling of cylindrical	291-97
measurement of flow pattern during filling of	69-75
penetration during filling of	763
filling simulation, three-dimensional	117-24
Mold-metal	
gap formation with Al-14% Si alloy	445
interface, heat transfer simulation at the	429
Moldmaking	627-29
Monels	
foundry characteristics and mechanical properties of	507-17
niobium additions to	507
Monolithic quartz substrates, metal samples on	771-72
Monte Carlo Method	369

N

National Institute for Occupational Safety and Health (NIOSH),	
determination of acceptable ambient	
chemical concentrations by the	589
Navier-Stokes' (N-S) equations	478
Ni-hard	
I, microstructures of	339-357
IV, microstructures of	339-357
1984 Hazardous Solid Waste Amendments to RCRA	406
1990 Clean Air Act Amendments (CAAA)	585
regulatory requirements under the	589
Title I	586
Title III	586-87
Niobium additions to monels	507
Nobake binders	623-25
Nodule count evaluation	537
Nondestructive testing. <i>See also:</i> Acoustic	
emission signal testing	
Nonlinear function extrapolation and interpolation	
of solidification modeling	325
Nucleation, continuous	166

O

Occupational Safety & Health Administration (OSHA),	
regulation of Hazardous Air Pollutants by the	586
Ohio air toxic control program	589
Olivine sand, effect on nobake binders of	626
Open riser	732-33

P

Poly Alkylene Carbonate (PAC) foam	485-87
Pattern	
cores	667
expandable	411-14
Pearlite, growth of	535
Penetration	
defects, AFS research on	761-779
factor	762-764
People's Republic of China, cast iron research	
and development in	363
Permanent mold cast gray iron	469-76
Petrocarb injector	571
Phenolic Ester Nobake (PENB) resin	
effect of NaCl on	836-37
influence of sand chemistry on	825
tensile strength of	827, 833-34
Phenolic urethane binders	387, 624
Phosphate complexing of heavy metals	133-38
Phosphorus, determining the residual level of,	
in red brasses	809-13
Pin-on-disc wear testing of MMCs	816-17
Plasma and flame reactor treatment of	
electric arc furnace dust	405-409
Polymethyl methacrylate (PMMA)	287, 305
formulation for use in ferrous EPC casting	401-403
patterns	412
Porosity, relationship of tensile properties to percent	616-21
Pour cups, ceramic	791-92
Pouring temperature	
effect of, on EPC defects	310
effect of, on solidification	373-74
Preheat, effects of, on the properties of green sand	631-41
Profile roughness parameter	177-78
Prolog feature rule set	667
Pulse-echo method of acoustic wave analysis	317-18

Q

Quality	
baseline, evaluating DI tensile properties using a	547-49
management systems	595-99
systems for world class tooling	149-51

R

Rare Earths (RE) inoculation of cast iron	363
Recirculating gas methods for measuring hydrogen	
in situ in aluminum melts	653
Red brasses, using fluidity to determine the	
residual phosphorus in	809-13
Reduced pressure test for hydrogen, quantification of	653-59
Refractories	
basic design parameters for	98-100
thermal characteristics of, in channel	
induction furnaces	97
Refractory coatings, effect of, on core and mold binders	392
Refractory pattern coatings for EPC casting	456-63
Residual casting stress, measuring, using the	
critically refracted longitudinal wave technique	265
Resin bonded sands	
addition of NaCl to	835-36
effect of 500C fluxing treatment on tensile strength of	843
factors affecting the tensile strengths of	843-47
failure modes of	828-33

Resin bonds, influence of sand chemistry on	825
Rigging systems, knowledge-based design of	91
Riser(s)	
blind	359-61
design of, for aluminum bronze castings	465-68
design of tapered	717
effects of, on casting porosity	610-11
necks, premature freezing of	361
open	732-33
side	721-23
sizing of	94-96
tapered	717
Rotary beam fatigue testing	563
Runners	93-94

S

S/N fatigue tests	79
SAE J434	543
Sand	
AFS clay content of	223
additives	105-107
binders, chemical	827
chromite	445
effect of washing on PENB resin bonded	835
effects of, on the performance of nobake binders	623
foundry waste, deposited in landfills	678-79
grain shape	221
green, control of	101
green, water evaporation in	685
lake and silica	626
loss-on-ignition	226
moisture content	103, 223
olivine	626
permeability	222-223
properties and their relationship to compaction	221-26
purity	221
reclamation facilities	678-79
reclamation of foundry, in Michigan	676-79
resin bonded	825
shell-resin coated, low odor	451-54
sieve analysis and AFS Grain Fineness Numbers	222
sifting	231-32
statistical process control of	226
surface chemistry, influence of, on bonding	825
thermal reconditioning of core	227-35
waste study in Michigan	674-79
zircon	626
Sand-cast gray iron, tensile strength in	469-76
Sand-metal contact angle, role of, in the formation	
of casting penetration defects	761-79
Sand screen(s)	
aperture and diameter, computerized	
measurement of	111-16
use of, to improve casting soundness	732
Saw blades, used to cut MMCs	577-78
Scrubbing, for ester-cured coldbox systems	24
Segregation Factor (SF) determination of gravity	
segregation of aluminum melts	379
Sessile Drop Method for measuring the contact	
angle of a liquid material	764
SG cast iron. <i>See also:</i> Ductile cast iron	
criterion functions based on alloying and cooling	237-43
directional solidification of	747
feasibility of the production of a low-carbon	313-24
low-CE, treated with a nodulizing agent	319-20
modeling cooling curves for	237-43
nucleation and growth kinetics of	747-59
prediction of microstructural evolution in	531-41
structural transitions and solidification kinetics	747
variance of Young's Modulus in	319
SG malleable iron	
effect of heat treatment on	442
research and application of	439-43
Shell-resin coated sands, low-odor	451-54
Short Rod Fracture Toughness Test	177
Shrinkage	
defects, elimination of, through use	
of computer simulation	477
predicting, in casting walls	681-84
Sieve analysis	222
Silane, addition of, to resin-bonded sands	828
Silicon behavior in the cupola, mathematical modeling of	272
Slurries, for titanium investment casting	697
Sodium silicate binders, CO2 gassed	387
SOLA-MAC technique	117
Solid waste minimization	673-79
Solid-Liquid Coexistence Zone (SLCZ) of an Al-Cu alloy	245
Solidification	166, 187-91, 195-96
acoustic measurement of Al-Zn	199-202
effect of casting thickness on	375-76
finite element solutions of	299
influence of the interface resistance effect on	373
mathematical modeling of	685
mechanisms in white cast irons	341-42
mechanisms of aluminum melts	659
modeling	325-32, 447
modeling involving latent heat effect	781-89
modeling phase changes during	685
of Al-Cu alloy	245
parameters correlated to percent porosity in A356	616
patterns in A356 plate castings	605-21
penetration during casting	764-79
temperature recovery method of	299
of 339 aluminum alloy	379-83
Solidification modeling	
of mold/metal gap formation	447
nonlinear function extrapolation and interpolation of	325
of SG cast iron	531-41
two-dimensional FEM	447
SPC. <i>See:</i> Statistical Process Control (SPC)	
Spheroidal graphite (SG)	
study of the formation of,	
in ancient Chinese cast iron	415-20
theories on the formation of	747-50
cast iron, factors influencing the	
mechanical properties of	531
Sprues, location and sizing of	93
Squeeze-cast metal matrix composites	815-23
Static elastic modulus	314-17
Statistical modelling of fracture in HIPed A356 castings	165-73
Statistical Process Control (SPC)	
for sand suppliers	226
used to analyze cupola carbon injection	571
Steel(s)	255-60
production, use of cored wire in	519
spheroidal graphite in high-carbon content	321-324
Steel casting(s)	
factors influencing impact strength of LCB and LCC	277-79
filling and solidification simulation of	478-81
specifications for	397-400
use of blind risers in casting	359
Step-like nucleation/growth	166
Stress	
contour plots, equivalent	715
residual casting	265
Stress-strain, computer modeling of	248-53

Strontium inoculation of cast iron	363
Submerged jet studies	421-22
Substrates	
oxide and silicate samples on	773-79
wetting of different, by iron	771-77
Surface energy, role of, in penetration defects	761-62
Surface Roughness Parameter	177-78
Synthetic cast iron	364

T

Tapered riser(s)	
optimum design of	717
side	719-22
top, design of	718-19
TCLP test for foundry waste	261-63
TEA	387
TELEGAS measurement of aluminum melt hydrogen	654
Temperature recovery method of solidification	299
Tensile properties	
of ferritic ductile iron (DI)	543-49
of silicon carbide reinforced	
aluminum cast composites	713-16
relationship between percent porosity and	616-21
Tensile strength, in permanent mold and	
sand cast gray iron	469-76
Test Clay Parameter (TCP)	108
Thermal analysis of aluminum casting alloys	1
Thermal reconditioning of core sand	
in an aluminum foundry	227-35
339 aluminum alloy, investigation of star-like	
intermetallic phase in	379-83
355 aluminum alloy, cooling curve of	783-85
356 aluminum alloy, gating experiments using	729
390 aluminum alloy	643
3D CAD	149
Three-dimensional mold filling simulation	117-24
Threshold Limit Value (TLV)	589
Titanium investment castings	697-700
Tooling	
for coldbox binders	22-24
quality systems for	149-51
used to degate and finish MMC castings	577-83
"Total Sand Reclamation" report (AFS)	674
Toxic Characteristic Leaching Procedure (TCLP)	133, 261-63
Transverse Strength Test	
compared with Tensile Strength Test	387-95
of resin-bonded cores and molds	385-86

Triple superphosphate (TSP)	133
Tuft grid method of aqueous flow visualization	423-25
Tuyere(s), carbon injection into cupola	571-76

U

U.S. Environmental Protection Agency (USEPA)	
regulation of hazardous air pollutants by the	585
use of the EP Toxicity Test by the	261
U.S. Federal Specification QQ-N-288	507

V

Vent holes, effect on EPC castings of	305-11
Venting, when using coldbox binders	23
Voides	165-66

W


Wastes	
foundry	261, 673-79
Ground-Level Concentrations (GLCs) of	
chemical, determination of	589
Waterlines in dies, design of	493-500
Wet Bulb Globe Temperature (WBGT) index technique	602
White cast irons	
isothermal solid-state reactions in	342-43
microstructures of	339-57
Wisconsin air toxic control program	589
Work-time/strip-time ratios and cure rate	
for nobake binders	625-26

Y

Yield strength for a silicon carbide reinforced	
aluminum composite	715
Young's Modulus	313-317
variance in, in SG cast irons	319

Z

Zero Headspace Extractor (ZHE)	261
Zircon sand, effect on nobake binders of	626
Zirconium	697
inoculation of cast iron	363



Title Index

A

- Acoustic Emission Signal Characteristics from Casting Defects
Formed During Solidification of Al Alloy 319 (91-102)525
- Alternate Fuels for Cupola Operations (91-66)25

B

- Blind Risers: Why They Don't Always Work (91-96)359

C

- Casting and Environmental Advances in the FRC Process (91-20)215
- Casting Specifications: False Security? (91-94)397
- Challenge for Copper Alloy Castings
in the 21st Century, The (91-38)139
- Chilling Equivalent of Cast Iron, The (91-91)51
- Cokeless Cupola to Channel Furnace Duplexing:
A Melt Plant for the Future (91-93)691
- Comparison of EP Toxicity and TCLP Testing
of Foundry Waste (91-143)261
- Comparative Study of Finite Element Solutions of
Solidification by Temperature Recovery Method, A (91-25)299
- Computer-Assisted Pattern Core Development (91-97)667
- Computer Simulation of Al-Cu Alloy Solidification
Using a Continuum Model (91-103)737
- Computerized Measurement of Screen Aperture
and Screen Wire Diameter (91-05)111
- Control of Macrostructure in Aluminum Castings, Part I:
Determination of Columnar/Equiaxed Transition
for Al-4.5%Cu Alloy (91-70)187
- Control of Macrostructure in Aluminum Castings, Part II:
A Magnetic Suspension Melting Process for
Quality Castings (91-71)193
- Converting to Preformed Ceramic Pour Cups (91-144)791
- Criterion Functions Based on Alloying and Cooling Rate
for Simulating the Microstructure and
Mechanical Properties of SG Iron Castings (91-60)237
- Critically Refracted Longitudinal (L_{CR}) Wave Technique:
A New Tool for Measurement of Residual Stresses
in Castings (91-157)265
- Cupola Carbon Tuyere Injection (91-130)571

D

- Dendrite Arm Spacing in Aluminum Alloys
(Silver Anniversary Paper, Div. 2) (91-176)501
- Development of a Cast Wear-Resistant Steel (91-95)255
- Die Temperature Control in Pressure Diecasting (91-105)493
- Dimensional Analysis of Expendable Pattern, Green
Sand and Nobake Castings (AFS Research) (91-16)203
- Direct Method to Include Latent Heat Effect for
Modeling Casting Solidification, A (91-82)781

E

- Effect of Hot Isostatic Pressure on Cast Aluminum
Airframe Components (91-02)77
- Effect of Trace Amounts of Antimony on the Structure
and Properties of Aluminum Alloy A356.2, The
(AFS Research) (91-28)7
- Effect of Vent-Holes in Patterns on Filling Process
and Casting Quality Using the
Evaporative Pattern Process (91-136)305
- Effects of Modification and Solidification Conditions
on the Feeding Behavior of A356 Al Alloy (91-65)605
- Effects of Preheat and Holding Time on the
Properties of Green Sand (91-26)631
- Effects of Sand and Foundry Variables on the
Performance of Nobake Binders, The
(Silver Anniversary Paper, Div. 4) (91-168)623
- Elimination of Shrinkage Defects Through
Use of Computer Simulation (91-146)477
- Ergonomics and Cumulative Trauma Disorder Control:
A Strategy for Management (91-135)63
- Evaluation of Ceramic Response to
Microwave Energy (91-166)701
- Evaluation of Microstructural Factors Affecting
Heavy-Section Ferritic DI Castings (91-106)543
- Evaluation of Tooling to Degate and
Finish MMC Castings (91-133)577
- Experimental Investigations of Deformation in
HIPped A356 Aluminum Castings (91-139)175

F

- Factors Influencing Impact Strength of
LCB and LCC Steel Castings (91-89)277
- Feasibility of the Production of a Low-Carbon Equivalent
Spheroidal Graphite Cast Iron: A Review of the Literature
(AFS Research) (91-108)313
- Feeding Distances in Aluminum Bronze C95300 (91-156)465
- Finite Element Simulation of T-Shaped Castings (91-118)369
- Fluid-Flow Phenomena in the Filling of Cylindrical
Molds Using Newtonian (Turbulent) and
Non-Newtonian (Power Law) Fluids (91-08)291
- Formal Quality Systems for World Class Tooling (91-53)149
- Foundry Characteristics and Mechanical Properties
of Weldable Monels (91-37)507
- Foundry Wastes in Michigan: Inventory and
Minimization Potential (91-120)673

G

- Gas Porosity and Metal Cleanliness
in Aluminum Casting Alloys (91-40)83
- Gating Castable Metal Matrix Composites (91-87)729

H

Hazardous Air Pollutants: A Challenge to the Metalcasting Industry (91-42)	585
Heat Source/Sink Algorithm for Modeling Phase Changes During Solidification in Castings and Water Evaporation in Green Sand Molds (91-54)	685
Heat Treating of Austempered Ductile Iron (91-75)	281
Heavy-Section ADI: Fatigue Properties in the As-Cast and Austempered Condition (AFS Research) (91-111)	563
Heavy-Section ADI: Tensile Properties in the As-Cast and Austempered Condition (AFS Research) (91-109)	551
Help the Eagles Fly! (Hoyt Memorial Lecture) (91-155)	489
Heterogeneous Nuclei in Flake Graphite (91-47)	707
Human-Factoring the Foundry Environment for Better Quality Control (91-78)	595
Hydraulic Simulation Study on Three-Step Gating Systems (91-39)	57

I

Implementation of an Efficient FEA Program for Solidification Simulation on a PC (91-03)	661
Indentation of Foam Pattern Surfaces by Coordinate Measuring Machine Probes, The (91-74)	287
Influence of Flotation on Some Foundry Properties of Ductile Iron (91-57)	159
Influence of Sand Surface Chemistry on Bonding (AFS Research) (91-131)	825
Investigation of a Star-Like Intermetallic Phase Occurring in Alloy 339 (91-126)	379
Investigation on the Role of Sand-Metal Contact Angle in the Formation of Casting Penetration Defects, An (AFS Research) (91-112)	761
Investment Casting of Induction Skull-Melted Titanium and Reactive Alloys (91-162)	697

K

Knowledge-Based Design of Rigging Systems for Light Alloy Castings (91-62)	91
--	----

L

Latest Developments in Production and Research Works of Gray Cast Iron in China (91-27)	363
Life-Threatening Heat Hazards: A Case Study (91-132)	601
Low-Odor Shell Resin-Coated Sands (91-110)	451

M

Measurement of Al-Zn Phase Diagram by Acoustic Emission During Solidification (91-07)	199
Measurement of Flow Pattern for the Mold Filling of Castings (91-04)	69
Mechanical Properties and Microstructures of Austempered Alloyed Ductile Irons (91-107)	793
Microstructural Aspects of Fracture in A356 (91-125)	33
Microstructures of Ni-Hard I, Ni-Hard IV and High-Cr White Cast Irons (91-55)	339
Modeling Key Cupola Reactions: Behavior of Carbon, Silicon and Manganese (AFS Research) (91-160)	269

Modern Green Sand Control for the 1990s (91-61)	101
Mold/Metal Gap Formation of Al-14%Si Alloy Horizontal Cylinders Cast in Chromite Molding Sand (91-100)	445

N

New Investigations on the Relationship between Wall Thickness and Strength of Unalloyed Cast Iron with Flake Graphite (91-178)	125
New Method for Shrinkage Prediction in Casting Walls, A (91-48)	681
New PMMA Expandable Resin for Use in the Ferrous EPC Process, The (91-23)	401
New Technology with Ester-Cured Coldbox Binders (91-14)	17
Nodule Distribution in Ductile Cast Iron (91-56)	153

P

Phosphate Complexing of Heavy Metals (91-88)	133
Plasma and Flame Reactor Treatment of Electric Arc Furnace Dust (91-43)	405
Poly(Alkylene Carbonate): A New Polymer for Expendable Pattern Casting (91-152)	485
Prediction of Microstructural Evolution in SG Cast Iron from Solidification to Room Temperature (91-99)	531

Q

Quantification of the Reduced Pressure Test (91-30)	653
---	-----

R

Research and Application of Spheroidal Graphite Malleable Iron (91-92)	439
Rheological Behavior in Solid-Liquid Coexistence Zone and Simulation of Stress-Strain and Hot Cracking of Al-Cu Alloy During Solidification (91-85)	245

S

Sand Properties and Their Relationship to Compaction for the Expendable Pattern Casting Process (91-31)	221
Simulation of Heat Transfer at Casting Metal-Mold Interface (91-81)	429
Size of Primary Silicon Particles and Mechanical Properties of As-Cast High-Silicon Al Alloys (91-10)	643
Solidification Modeling: Reduction of Computing Time in the Mold Region (91-101)	325
Statistical Model for Predicting the Fracture of Silicon Particles in HIPped A356 Aluminum Castings, A (91-138)	165
Structural Transitions and Solidification Kinetics of SG Cast Iron During Directional Solidification Experiments (91-104)	747
Study of the Formation of Spheroidal Graphite in Ancient Cast Iron in China (91-77)	415
Study of Selected Process Parameters for the Evaporative Pattern Casting Process, A (91-134)	455
Study of Weight Loss Rates of EPC Patterns During Storage, A (91-73)	411
Study on Raising the Impact Toughness of Wear-Resistant High-Chromium Cast Iron (91-12)	333

T


Tapered Riser Design Optimization (91-67)	717
Tensile Properties of Silicon Carbide Reinforced Aluminum Cast Composites: Finite Element Analysis (91-63)	713
Tensile Strength in Permanent Mold and Sand Cast Gray Iron (91-119)	469
Testing Techniques that Reflect Effects of Humidity Exposure on Coldbox Foundry Binder Systems (91-32)	385
Thermal Analysis of Strontium Treated Hypoeutectic and Eutectic Aluminum-Silicon Casting Alloys (91-35)	1
Thermal Characteristics of Refractories in Channel Induction Furnaces (91-115)	97
Thermal Reconditioning of Core Sand in an Aluminum Foundry: A Contribution to Environmental Protection (91-22)	227
Three-Dimensional Mold Filling Simulation for Casting and Its Experimental Verification (91-153)	117

U

Using an Aqueous System to Model Flow During Continuous Casting (91-79)	421
Using Cored Wire in the Production of Ductile Iron (91-69)	519
Using Fluidity to Determine the Residual Phosphorus Level of Red Brasses (91-121)	809

W

Wear Behavior of Squeeze-Cast Al-Al ₂ O ₃ -MgO Particulate MCCs Under Dry Sliding Conditions (91-124)	815
--	-----



Paper Number Index

91-02	Effect of Hot Isostatic Pressure on Cast Aluminum Airframe Components	77	91-43	Plasma and Flame Reactor Treatment of Electric Arc Furnace Dust	405
91-03	Implementation of an Efficient FEA Program for Solidification Simulation on a PC	661	91-47	Heterogeneous Nuclei in Flake Graphite	707
91-04	Measurement of Flow Pattern for the Mold Filling of Castings	69	91-48	A New Method for Shrinkage Prediction in Casting Walls	681
91-05	Computerized Measurement of Screen Aperture and Screen Wire Diameter	111	91-53	Formal Quality Systems for World Class Tooling	149
91-07	Measurement of Al-Zn Phase Diagram by Acoustic Emission During Solidification	199	91-54	Heat Source/Sink Algorithm for Modeling Phase Changes During Solidification in Castings and Water Evaporation in Green Sand Molds	685
91-08	Fluid-Flow Phenomena in the Filling of Cylindrical Molds Using Newtonian (Turbulent) and Non-Newtonian (Power Law) Fluids	291	91-55	Microstructures of Ni-Hard I, Ni-Hard IV and High-Cr White Cast Irons	339
91-10	Size of Primary Silicon Particles and Mechanical Properties of As-Cast High-Silicon Al Alloys	643	91-56	Nodule Distribution in Ductile Cast Iron	153
91-12	Study on Raising the Impact Toughness of Wear-Resistant High-Chromium Cast Iron	333	91-57	Influence of Flotation on Some Foundry Properties of Ductile Iron	159
91-14	New Technology with Ester-Cured Coldbox Binders	17	91-60	Criterion Functions Based on Alloying and Cooling Rate for Simulating the Microstructure and Mechanical Properties of SG Iron Castings	237
91-16	Dimensional Analysis of Expendable Pattern, Green Sand and Nobake Castings (AFS Research)	203	91-61	Modern Green Sand Control for the 1990s	101
91-20	Casting and Environmental Advances in the FRC Process	215	91-62	Knowledge-Based Design of Rigging Systems for Light Alloy Castings	91
91-22	Thermal Reconditioning of Core Sand in an Aluminum Foundry: A Contribution to Environmental Protection	227	91-63	Tensile Properties of Silicon Carbide Reinforced Aluminum Cast Composites: Finite Element Analysis	713
91-23	The New PMMA Expandable Resin for Use in the Ferrous EPC Process	401	91-65	Effects of Modification and Solidification Conditions on the Feeding Behavior of A356 Al Alloy	605
91-25	A Comparative Study of Finite Element Solutions of Solidification by Temperature Recovery Method	299	91-66	Alternate Fuels for Cupola Operations	25
91-26	Effects of Preheat and Holding Time on the Properties of Green Sand	631	91-67	Tapered Riser Design Optimization	717
91-27	Latest Developments in Production and Research Works of Gray Cast Iron in China	363	91-69	Using Cored Wire in the Production of Ductile Iron	519
91-28	The effect of Trace Amounts of Antimony on the Structure and Properties of Aluminum Alloy A356.2 (AFS Research)	7	91-70	Control of Macrostructure in Aluminum Castings, Part I: Determination of Columnar/Equiaxed Transition for Al-4.5%Cu Alloy	187
91-30	Quantification of the Reduced Pressure Test	653	91-71	Control of Macrostructure in Aluminum Castings, Part II: A Magnetic Suspension Melting Process for Quality Castings	193
91-31	Sand Properties and Their Relationship to Compaction for the Expendable Pattern Casting Process	221	91-73	A Study of Weight Loss Rates of EPC Patterns During Storage	411
91-32	Testing Techniques that Reflect Effects of Humidity Exposure on Coldbox Foundry Binder Systems	385	91-74	The Indentation of Foam Pattern Surfaces by Coordinate Measuring Machine Probes	287
91-35	Thermal Analysis of Strontium Treated Hypoeutectic and Eutectic Aluminum-Silicon Casting Alloys	1	91-75	Heat Treating of Austempered Ductile Iron	281
91-37	Foundry Characteristics and Mechanical Properties of Weldable Monels	507	91-77	Study of the Formation of Spheroidal Graphite in Ancient Cast Iron in China	415
91-38	The Challenge for Copper Alloy Castings in the 21st Century	139	91-78	Human-Factoring the Foundry Environment for Better Quality Control	595
91-39	Hydraulic Simulation Study on Three-Step Gating Systems	57	91-79	Using an Aqueous System to Model Flow During Continuous Casting	421
91-40	Gas Porosity and Metal Cleanliness in Aluminum Casting Alloys	83	91-81	Simulation of Heat Transfer at Casting Metal-Mold Interface	429
91-42	Hazardous Air Pollutants: A Challenge to the Metalcasting Industry	585	91-82	A Direct Method to Include Latent Heat Effect for Modeling Casting Solidification	781
			91-85	Rheological Behavior in Solid-Liquid Coexistence Zone and Simulation of Stress-Strain and Hot Cracking of Al-Cu Alloy During Solidification	245
			91-87	Gating Castable Metal Matrix Composites	729

91-88	Phosphate Complexing of Heavy Metals	133	91-124	Wear Behavior of Squeeze-Cast Al-Al ₂ O ₃ -MgO Particulate MCCs Under Dry Sliding Conditions	815
91-89	Factors Influencing Impact Strength of LCB and LCC Steel Castings	277	91-125	Microstructural Aspects of Fracture in A356	33
91-91	The Chilling Equivalent of Cast Iron	51	91-126	Investigation of a Star-Like Intermetallic Phase Occurring in Alloy 339	379
91-92	Research and Application of Spheroidal Graphite Malleable Iron	439	91-130	Cupola Carbon Tuyere Injection	571
91-93	Cokeless Cupola to Channel Furnace Duplexing: A Melt Plant for the Future	691	91-131	Influence of Sand Surface Chemistry on Bonding (AFS Research)	825
91-94	Casting Specifications: False Security?	397	91-132	Life-Threatening Heat Hazards: A Case Study	601
91-95	Development of a Cast Wear-Resistant Steel	255	91-133	Evaluation of Tooling to Degate and Finish MMC Castings	577
91-96	Blind Risers: Why They Don't Always Work	359	91-134	A Study of Selected Process Parameters for the Evaporative Pattern Casting Process	455
91-97	Computer-Assisted Pattern Core Development	667	91-135	Ergonomics and Cumulative Trauma Disorder Control: A Strategy for Management	63
91-99	Prediction of Microstructural Evolution in SG Cast Iron from Solidification to Room Temperature	531	91-136	Effect of Vent-Holes in Patterns on Filling Process and Casting Quality Using the Evaporative Pattern Process	305
91-100	Mold/Metal Gap Formation of Al-14%Si Alloy Horizontal Cylinders Cast in Chromite Molding Sand	445	91-138	A Statistical Model for Predicting the Fracture of Silicon Particles in HIPped A356 Aluminum Castings	165
91-101	Solidification Modeling: Reduction of Computing Time in the Mold Region	325	91-139	Experimental Investigations of Deformation in HIPped A356 Aluminum Castings	175
91-102	Acoustic Emission Signal Characteristics from Casting Defects Formed During Solidification of Al Alloy 319	525	91-143	Comparison of EP Toxicity and TCLP Testing of Foundry Waste	261
91-103	Computer Simulation of Al-Cu Alloy Solidification Using a Continuum Model	737	91-144	Converting to Preformed Ceramic Pour Cups	791
91-104	Structural Transitions and Solidification Kinetics of SG Cast Iron During Directional Solidification Experiments	747	91-146	Elimination of Shrinkage Defects Through Use of Computer Simulation	477
91-105	Die Temperature Control in Pressure Diecasting	493	91-152	Poly(Alkylene Carbonate): A New Polymer for Expendable Pattern Casting	485
91-106	Evaluation of Microstructural Factors Affecting Heavy-Section Ferritic DI Castings	543	91-153	Three-Dimensional Mold Filling Simulation for Casting and Its Experimental Verification	117
91-107	Mechanical Properties and Microstructures of Austempered Alloyed Ductile Irons	793	91-155	Help the Eagles Fly! (Hoyt Memorial Lecture)	489
91-108	Feasibility of the Production of a Low-Carbon Equivalent Spheroidal Graphite Cast Iron: A Review of the Literature (AFS Research)	313	91-156	Feeding Distances in Aluminum Bronze C95300	465
91-109	Heavy-Section ADI: Tensile Properties in the As-Cast and Austempered Condition (AFS Research)	551	91-157	Critically Refracted Longitudinal (L_{CR}) Wave Technique: A New Tool for Measurement of Residual Stresses in Castings	265
91-110	Low-Odor Shell Resin-Coated Sands	451	91-160	Modeling Key Cupola Reactions: Behavior of Carbon, Silicon and Manganese (AFS Research)	269
91-111	Heavy-Section ADI: Fatigue Properties in the As-Cast and Austempered Condition (AFS Research)	563	91-162	Investment Casting of Induction Skull-Melted Titanium and Reactive Alloys	697
91-112	An Investigation on the Role of Sand-Metal Contact Angle in the Formation of Casting Penetration Defects (AFS Research)	761	91-166	Evaluation of Ceramic Response to Microwave Energy	701
91-115	Thermal Characteristics of Refractories in Channel Induction Furnaces	97	91-168	The Effects of Sand and Foundry Variables on the Performance of Nobake Binders (Silver Anniversary Paper, Div. 4)	623
91-118	Finite Element Simulation of T-Shaped Castings	369	91-176	Dendrite Arm Spacing in Aluminum Alloys (Silver Anniversary Paper, Div. 2)	501
91-119	Tensile Strength in Permanent Mold and Sand Cast Gray Iron	469	91-178	New Investigations on the Relationship between Wall Thickness and Strength of Unalloyed Cast Iron with Flake Graphite	125
91-120	Foundry Wastes in Michigan: Inventory and Minimization Potential	673			
91-121	Using Fluidity to Determine the Residual Phosphorus Level of Red Brasses	809			

Division Index

ENGINEERING, DIV. 1

A Comparative Study of Finite Element Solutions of Solidification by Temperature Recovery Method (91-25)—Y.-T. Im, Y.-H. Chen, J.K. Lee, Z.-H. Lee	299
Computerized Measurement of Screen Aperture and Screen Wire Diameter (91-05)—G. Calboreanu	111
Die Temperature Control in Pressure Diecasting (91-105)—H.Md. Roshan, V.M.K. Sastri, R. Agarwal	493
A Direct Method to Include Latent Heat Effect for Modeling Casting Solidification (91-82)—C.H. Su, H.L. Tsai	781
Ergonomics and Cumulative Trauma Disorder Control: A Strategy for Management (91-135)—T.W. Merritt	63
Evaluation of Tooling to Degate and Finish MMC Castings (91-133)—D.O. Kennedy, A. Sverdlin, J.H. Mason	577
Finite Element Simulation of T-Shaped Castings (91-118)—L. Cadarso, C.N. Chu, R.L. Kashyap	369
Fluid-Flow Phenomena in the Filling of cylindrical Molds Using Newtonian (Turbulent) and Non-Newtonian (Power Law) Fluids (91-08)—P. Jönsson, N. Saluja, O.J. Ilegbusi, J. Szekely	291
Hydraulic Simulation Study on Three-Step Gating Systems (91-39)—Z. Fuli, Z. Entao, D. Zhao hao	57
Implementation of an Efficient FEA Program for Solidification Simulation on a PC (91-03)—T.S. Prasanna Kumar	661
Measurement of Flow Pattern for the Mold Filling of Castings (91-04)—S.-H. Jong, W.-S. Hwang	69
A New Method for Shrinkage Prediction in Casting Walls (91-48)—V. Jesko, J. Zajac	681
Simulation of Heat Transfer at Casting Metal-Mold Interface (91-81)—D.G.R. Sharma, M. Krishnan	429
Solidification Modeling: Reduction of Computing Time in the Mold Region (91-101)—T.S. Hou, R.D. Pehlke, J.O. Wilkes	325
Tapered Riser Design Optimization (91-67)—R.C. Creese, Y. Xia	717
Three-Dimensional Mold Filling Simulation for Casting and Its Experimental Verification (91-153)—S.-H. Jong, W.-S. Hwang	117
Using an Aqueous System to Model Flow During Continuous Casting (91-79)—J.M. Khodadadi, Y. Liang, F. Shen	421

ALUMINUM, DIV. 2

Acoustic Emission Signal Characteristics from Casting Defects Formed During Solidification of Al Alloy 319 (91-102)—A.L. Purvis, E. Kannatey-Asibu, Jr., R.D. Pehlke	525
Computer Simulation of Al-Cu Alloy Solidification Using a Continuum Model (91-103)—D. Xu, Q. Li, R.D. Pehlke	737
Control of Macrostructure in Aluminum Castings, Part I: Determination of Columnar/Equiaxed Transition for Al-4.5%Cu Alloy (91-70)—V.K. Suri, N. El-Kaddah, J.T. Berry	187
Control of Macrostructure in Aluminum Castings, Part II: A Magnetic Suspension Melting Process for Quality Castings (91-71)—N. El-Kaddah, V.K. Suri, J.T. Berry	193
Effect of Hot Isostatic Pressure on Cast Aluminum Airframe Components (91-02)—S.J. Mocarski, G.V. Scarich, K.C. Wu	77

The Effect of Trace Amounts of Antimony on the Structure and Properties of Aluminum Alloy A356.2 (AFS Research) (91-28)—B.L. Tuttle, D. Twarog, E. Daniels	7
Effects of Modification and Solidification Conditions on the Feeding Behavior of A356 Al Alloy (91-65)—E.N. Pan, H.S. Chiou, G.J. Liao	605
Experimental Investigations of Deformation in HIPped A356 Aluminum Castings (91-139)—C.W. Meyers, J.-S. Chou	175
Gas Porosity and Metal Cleanliness in Aluminum Casting Alloys (91-40)—G. Laslaz, P. Laty	83
Gating Castable Metal Matrix Composites (91-87)—D.O. Kennedy, J.C. Church	729
Heat Source/Sink Algorithm for Modeling Phase Changes During Solidification in Castings and Water Evaporation in Green Sand Molds (91-54)—H. Huang, V.K. Suri, J.L. Hill, J.T. Berry	685
Investigation of a Star-Like Intermetallic Phase Occurring in Alloy 339 (91-126)—D.A. Granger	379
Knowledge-Based Design of Rigging Systems for Light Alloy Castings (91-62)—J.L. Hill, J.T. Berry, S. Guleyupoglu	91
Measurement of Al-Zn Phase Diagram by Acoustic Emission During Solidification (91-07)—Q.F. Peng, F.S. Chen, B.S. Qi, Y.S. Wang	199
Microstructural Aspects of Fracture in A356 (91-125)—R.C. Voigt, D.R. Bye	33
Quantification of the Reduced Pressure Test (91-30)—W. La Orchan, H.M. Mulazimoglu, J.E. Gruzleski	653
Rheological Behavior in Solid-Liquid Coexistence Zone and Simulation of Stress-Strain and Hot Cracking of Al-Cu Alloy During Solidification (91-85)—L. Quingchun, C. Kuiying, L. Chi, Z. Songyan	245
Silver Anniversary paper, Div. 2	
Dendrite Arm Spacing in Aluminum Alloys (91-176)—M.C. Flemings, T.Z. Kattamis, B.P. Bardes	501
Size of Primary Silicon Particles and Mechanical Properties of As-Cast High-Silicon Al Alloys (91-10)—P. Mandal, A. Saha, M. Chakraborty	643
A Statistical Model for Predicting the Fracture of Silicon Particles in HIPped A356 Aluminum Castings (91-138)—J.-S. Chou, C.W. Meyers	165
Tensile Properties of Silicon Carbide Reinforced Aluminum Cast Composites: Finite Element Analysis (91-63)—A. Saigal	713
Thermal Analysis of Strontium Treated Hypoeutectic and Eutectic Aluminum-Silicon Casting Alloys (91-35)—N. Tenekedjiev, J.E. Gruzleski	1
Wear Behavior of Squeeze-Cast Al-Al ₂ O ₃ -MgO Particulate MCCs Under Dry Sliding Conditions (91-124)—J. Singh, S.K. Goel, V.N.S. Mathur, M.L. Kapoor	815

BRASS & BRONZE, DIV. 3

The Challenge for Copper Alloy Castings in the 21st Century (91-38)—D.G. Schmidt	139
Feeding Distances in Aluminum Bronze C95300 (91-156)—J.M. Romero, R.W. Smith, M. Sahoo	465

Foundry Characteristics and Mechanical Properties of Weldable Monels (91-37)—M. Sahoo, A. Taylor, R.J. Dawson	507
Using Fluidity to Determine the Residual Phosphorus Level of Red Brasses (91-121)—G.R. Smith, H. Liang	809

MOLDING METHODS & MATERIALS, DIV. 4

Castings and Environmental Advances in the FRC Process (91-20)—H.R. Shriver, K.W. Barnett, J.J. Archibald	215
Effects of Preheat and Holding Time on the Properties of Green Sand (91-26)—T.S. Shih, C.C. Chang	631
Influence of Sand Surface Chemistry on Bonding (AFS Research) (91-131)—V.L. Weddington, C.E. Mobley	825
An Investigation on the Role of Sand-Metal Contact Angle in the Formation of Casting Penetration Defects (AFS Research) (91-112)—D.M. Stefanescu, P. Delannoy, T.S. Piwonka, S. Kacar	761
Low-Odor Shell Resin-Coated Sands (91-110)—J. Basoms, W. Rossbacher	451
Modern Green Sand Control for the 1990s (91-61)—R.A. Green, R.W. Heine	101
Mold/Metal Gap Formation of Al-14%Si Alloy Horizontal Cylinders Cast in Chromite Molding Sand (91-100)—M.C. Lukens, T.S. Hou, A.L. Purvis, R.D. Pehlke	445
New Technology with Ester-Cured Coldbox Binders (91-14)—G.R. Hysell, J.J. Archibald, W.O. Elliott	17
Silver Anniversary Paper, Div. 4	
The Effects of Sand and Foundry Variables on the Performance of Nobake Binders (91-168)—J. Robins, L.I. Toriello, R.J. Schafer	623
Testing Techniques that Reflect Effects of Humidity Exposure on Coldbox Foundry Binder Systems (91-32)—P.R. Carey, J.T. Schneider, M.B. Krysiak	385
Thermal Reconditioning of Core Sand in an Aluminum Foundry: A Contribution to Environmental Protection (91-22)—S. Wesp, W. Engelhardt	227

CAST IRON, DIV 5

The Chilling Equivalent of Cast Iron (91-91)—E. Fras, H.F. Lopez	51
Criterion Functions Based on Alloying and Cooling Rate for Simulating the Microstructure and Mechanical Properties of SG Iron Castings (91-60)—A. Louvo, E. Pellikka, J. Alhainen, P. Eklund	237
Critically Refracted Longitudinal (L_{CR}) Wave Technique: A New Tool for Measurement of Residual Stresses in Castings (91-157)—M.N. Srinivasan, D.E. Bray, P. Junghans, A. Alagarsamy	265
Evaluation of Microstructural Factors Affecting Heavy-Section Ferritic DI Castings (91-106)—C.R. Loper, Jr., A. Javaid	543
Feasibility of the Production of a Low-Carbon Equivalent Spheroidal Graphite Cast Iron: A Review of the Literature (AFS Research) (91-108)—L.-Y. Fang, C.R. Loper, Jr.	313
Heat Treating of Austempered Ductile Iron (91-75)—B. Kovacs	281
Heavy-Section ADI: Fatigue Properties in the As-Cast and Austempered Condition (AFS Research) (91-111)—G.P. Faubert, D.J. Moore, K.B. Rundman	563
Heavy-Section ADI: Tensile Properties in the As-Cast and Austempered Condition (AFS Research) (91-109)—G.P. Faubert, D.J. Moore, K.B. Rundman	551
Heterogeneous Nuclei in Flake Graphite (91-47)—L. Rong De, Y.J. Xiang	707

Influence of Flotation on Some Foundry Properties of Ductile Iron (91-57)—R.W. Heine	159
Latest Developments in Production and Research Works of Gray Cast Iron in China (91-27)—S. Hua-Qin, W. Qigui, X. Hongqing, G. Xinli	363
Mechanical Properties and Microstructures of Austempered Alloyed Ductile Irons (91-107)—T.S. Shih, C.S. Chang, L.Z. Hwang, C.R. Loper, Jr.	793
Microstructures of Ni-Hard I, Ni-Hard IV and High-Cr White Cast Irons (91-55)—G. Laird II	339
New Investigations on the Relationship between Wall Thickness and Strength of Unalloyed Cast Iron with Flake Graphite (91-178)—W. Bauer, E. Nechtelberger	125
Nodule Distribution in Ductile Cast Iron (91-56)—T. Skaland, Ø. Grong	153
Prediction of Microstructural Evolution in SG Cast Iron from Solidification to Room Temperature (91-99)—S. Chang, D. Shangguan, D.M. Stefanescu	531
Research and Application of Spheroidal Graphite Malleable Iron (91-92)—Q. Hancheng, P. Xiaodong	439
Structural Transitions and Solidification Kinetics of SG Cast Iron During Directional Solidification Experiments (91-104)—D.K. Banerjee, D.M. Stefanescu	747
Study of the Formation of Spheroidal Graphite in Ancient Cast Iron in China (91-77)—Q. Hancheng, P. Xiaodong	415
Study on Raising the Impact Toughness of Wear-Resistant High-Chromium Cast Iron (91-12)—S. Hua-Qin, T. Chongxi, Y. Xu-Ru, W. Qigui	333
Tensile Strength in Permanent Mold and Sand Cast Gray Iron (91-119)—K.G. Davis, J.-G. Magny	469
Using Cored Wire in the Production of Ductile Iron (91-69)—J. Rotella, R. Mickelson	519

INVESTMENT CASTING, DIV. 6

Converting to Preformed Ceramic Pour Cups (91-144)—S.G. Oswald	791
Evaluation of Ceramic Response to Microwave Energy (91-166)—J. Claesson, B. Krieger, M. Yonnone	701
Investment Casting of Induction Skull-Melted Titanium and Reactive Alloys (91-162)—D.S. Reed, M.L. Jones	697

PATTERN & FOUNDRY TOOLING, DIV. 7

Computer-Assisted Pattern Core Development (91-97)—M.A. Ganter, P.A. Skoglund	667
Formal Quality Systems for World Class Tooling (91-53)—E. Oswald	149

MELTING METHODS & MATERIALS, DIV. 8

Alternate Fuels for Cupola Operations (91-66)—R.H. Nafziger	25
Cokeless Cupola to Channel Furnace Duplexing: A Melt Plant for the Future (91-93)—R. Graf	691
Cupola Carbon Tuyere Injection (91-130)—S.P. Hay	571
Modeling Key Cupola Reactions: Behavior of Carbon, Silicon and Manganese (AFS Research) (91-160)—V. Sahajwalla, R.D. Pehlke, C.F. Landefeld, S. Katz	269
Thermal Characteristics of Refractories in Channel Induction Furnaces (91-115)—A.W. Powdrell, G.M. Cullen, D.C. Williams, L. Snell	97

STEEL, DIV. 9

Blind Risers: Why They Don't Always Work (91-96)—C.A. Rowe	359
Casting Specifications: False Security? (91-94)—M. Blair	397
Development of a Cast Wear-Resistant Steel (91-95)— J. Jawahar, A.K. Chakrabarti	255
Elimination of Shrinkage Defects Through Use of Computer Simulation (91-146)—P.N. Hansen, G.C. Hartmann, J.C. Sturm	477
Factors Influencing Impact Strength of LCB and LCC Steel Castings (91-89)—G.M. Goodrich, T. Franklyn	277
Plasma and Flame Reactor Treatment of Electric Arc Furnace Dust (91-43)—J.M. Svoboda	405

ENVIRONMENTAL CONTROL, DIV. 10

Comparison of EP Toxicity and TCLP Testing of Foundry Waste (91-143)—R.R. Stanforth, P.D. Turpin	261
Foundry Wastes in Michigan: Inventory and Minimization Potential (91-120)—C.R. Baillod, L. Coduti, S.L. Murto, K.B. Rundman, D.A. Talford	673
Hazardous Air Pollutants: A Challenge to the Metalcasting Industry (91-42)—G.R. Allen, J.J. Archibald, T. Keenan	585
Human-Factoring the Foundry Environment for Better Quality Control (91-78)—A.K. Ghosh, S.P. Dutta	595
Life-Threatening Heat Hazards: A Case Study (91-132)— D. Hinkamp, J. Novak, D. Alderink, S.G. Polakowski	601

Phosphate Complexing of Heavy Metals (91-88)— K. Farrell-Poe, J.E. Etzel	133
---	-----

EXPENDABLE PATTERN CASTING, DIV. 11

Dimensional Analysis of Expendable Pattern, Green Sand and Nobake Castings (AFS Research) (91-16)—J.A. Griffin, K.D. Patton, C.E. Bates	203
Effect of Vent-Holes in Patterns on Filling Process and Casting Quality Using the Evaporative Pattern Process (91-136)—J. Fu, H.L. Tsai, D.A. Askeland	305
The Indentation of Foam Pattern Surfaces by Coordinate Measuring Machine Probes (91-74)—S. Nenawati, S.T. Reddy, P.J. Guichelaar	287
The New PMMA Expandable Resin for Use in the Ferrous EPC Process (91-23)—P.S. Frederick, T.J. Bohnert	401
Poly(Alkylene Carbonate): A New Polymer for Expendable Pattern Casting (91-152)—M.J. Cannarsa, J.D. DiCicco	485
Sand Properties and Their Relationship to Compaction for the Expendable Pattern Casting Process (91-31)— D.F. Hoyt, P. Dziekonski	221
A Study of Selected Process Parameters for the Evaporative Pattern Casting Process (91-134)— C.-H. Tseng, D.R. Askeland	455
A Study of Weight Loss Rates of EPC Patterns During Storage (91-73)—S.T. Reddy, P.J. Guichelaar	411